

TIN COATED BRASS

(Wieland NA RA SDS No: 01375.0001)

EMERGENCY PHONE: 1-618-258-5167

This product consists of a base metal alloy coated with another metal. Attached are Safety Data Sheets (SDS) for the following metal products:

Base Metal – >99% - Brass Coating – <1% - Tin Alloy

THIS SAFETY DATA SHEET (SDS) KIT HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200.

THE INFORMATION IN THE ENCLOSED SDSs SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. OLIN BELIEVES THIS INFORMATIONTO BE RELIABLE AND UPTO DATE AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF AN SDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT OLIN AT THE PHONE NUMBER BELOW TO MAKE CERTAIN THAT THE SDS IS CURRENT.

SDS Control Group Wieland NA RA

305 Lewis and Clark Blvd

East Alton, IL 62024-1197

Phone Number: (618) 258-5654

www.wieland.com

Wieland NA RA SDS No.: 01375.0001

1375.0001 Tin Coated Brass

Revision Date: 12/22/19

Review Date: 1/1/20



1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: BRASS ALLOY Chemical Name: Metal Alloy

Synonyms: Copper-Zinc Alloys, UNS/CDA Alloy Nos. c20000 – c29999

Chemical Family: Copper-Zinc

Formula: Not applicable - mixture

Product Use: Metallurgical Products

Manufacturer:

SDS Control Group Technical Information: Emergency Information:

Wieland NA RA (618)258-5654 (618)258-5167

305 Lewis and Clark Blvd East Alton, IL 62024-1197

www.wieland.com

2. HAZARD IDENTIFICATION

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

Health hazards associated with this product only apply in a fume or dust form.

Classification of the substance or mixture (Fume or Dust)

OSHA HCS 2012 Flammability – 0 Health – 1 Physical – 0

Label Elements



Hazard Statements Causes skin irritation – H315

May cause respiratory irritation - H335

Precautionary statements Avoid breathing dust or fumes – P261

Prevention Avoid breathing dust or fumes – P261

Do not get in eyes, on skin, or on clothing – P262

Response In case of inadequate ventilation wear respiratory protection – P285



EYE CONTACT: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. - P305 + P351 + P338

SKIN CONTACT: Rinse skin with water/shower – P353

Take off contaminated clothing and wash before reuse - P362

INHALATION: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing - P340

Get medical advice/attention - P313

<u>INGESTION:</u> Not a likely route of exposure for finished metal alloy.

If dust is ingested, immediately drink water to dilute.

Get medical advice/attention - P363

NOTE TO PHYSICIANS: There is no specific antidote to the active ingredients in this product; use symptomatic treatment.

Other Hazards

OSHA HSC 2012 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product

is considered hazardous.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Exposure to dust or fume may aggravate an existing dermatitis,

asthma, emphysema, or other respiratory disease.

Canada According to WHMIS

Classification of the substance or mixture

WHMIS This product is considered to be a manufactured article and therefore not subject to WHMIS requirements.

Other Information

NFPA Not rated

3. COMPOSITION/INFORMATION ON INGREDIENTS

| CAS Number | Components | % By Weight | EINECS/ ELINCS EU Classification | | tion |
|------------|------------|-------------|----------------------------------|--------|----------|
| | | | # | Symbol | R-Phrase |
| 7440-50-8 | Copper | 59 - 96 | 231-159-6 | None | None |
| 7440-66-6 | Zinc | 4 - 41 | 231-096-4 | None | None |
| 7439-92-1 | Lead | 0.03 - 0.3 | 231-104-6 | None | None |

OSHA REGULATORY STATUS: In solid form, not hazardous. Dust or fume: carcinogen, irritant, lung, blood, kidney, reproductive and developmental toxin, neurotoxin.

In solid form, this material is not hazardous. Dust and fumes are hazardous materials.

Wieland NA RA SDS No.: 01375.0001 Tin Coated Brass



4. FIRST AID MEASURES

EYE CONTACT: Immediately flush out fume and dust particles with large amounts of water for at least 15 minutes,

occasionally lifting the upper and lower eyelids. If eye irritation develops, call a physician at once.

SKIN CONTACT: If exposed to dust or fumes, wash skin with plenty of water. Remove contaminated clothing and shoes

and launder before reuse. If skin irritation or rash develops and persists or recurs, get medical

attention.

INHALATION: If symptoms of lung irritation occur (coughing, wheezing or breathing difficulty), remove from exposure

area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep affected

person warm and at rest. Get medical attention.

INGESTION: Not a likely route of exposure for finished metal alloy. If dust is ingested, immediately drink water to

dilute. Consult a physician if symptoms develop.

NOTE TO PHYSICIANS: There is no specific antidote to the active ingredients in this product; use symptomatic treatment.

5. FIRE FIGHTING MEASURES

| PROPERTY | VALUE | PROPERTY | VALUE |
|------------------------|----------------|---|----------------|
| Explosive | No | Flammable | No |
| Combustible | No | Pyrophoric | No |
| Flash Point (°C): | Not Applicable | Burning Rate of Material | Not Applicable |
| Lower Explosive Limit: | Not Applicable | Auto Ignition Temp: | Not Applicable |
| Upper Explosive Limit: | Not Applicable | Flammability Classification: (Defined by 29 CFR | Not Applicable |
| | | 1910.1200) | |

UNSUAL FIRE AND EXPLOSION HAZARDS: Dust may cause an ignitable and/or an explosive atmosphere.

EXTINGUISHING MEDIA:

For localized powder fires, smother with dry sand, dry dolomite, sodium chloride or soda ash. Use fire-extinguishing media appropriate to fight

surrounding fire.

SPECIAL FIREFIGHTING PROCEDURES: None required.

6. ACCIDENTAL RELEASE MEASURES

FOR ALL TRANSPORTATION ACCIDENTS, CALL (618)258-5167.

In dust form, this product may be an explosion hazard. Remove all sources of ignition. Dust of fume may be suppressed by the use of a local exhaust system. Dispose of per guidelines under Section 13, WASTE DISPOSAL.

7. HANDLING AND STORAGE

| HANDLING: | Avoid dispersion of dust in air |
|--------------------------------|---------------------------------|
| STORAGE: | No special requirements |
| Shelf Life Lim | tations: None known |
| Incompatible Materials for Pac | kaging: None known |



| Incompatible Materials for Storage or Transport: | None known |
|--|--|
| OTHER PRECAUTIONS: | Do not shake clothing, rags or other items to remove dust. |
| | Dust should be removed by washing or HEPA vacuuming. |
| | |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| CAS# | CHEMICAL NAME | ACGIH TLV | OSHA PEL | INTERNATIONAL OELS |
|-----------|---------------|---|--|--|
| 7440-50-8 | Copper | 0.2 mg/m ³ (fume), 1 mg/m ³ (dusts and mists) | 0.1mg/m ³ (fume) 1 mg/m ³ (dusts and mists) | Austria, Belgium, Canada: 0.2 mg/m ³ (fumes), 1 mg/m ³ (dusts) Denmark: 1.0 mg/m ³ (dust and powder) Germany (MAK): 0.1 mg/m ³ (fume), 1 mg/m ³ (dusts and mists) |
| 7440-66-6 | Zinc | None established | None established | None established |
| 7439-92-1 | Lead | 0.05 mg/m ³ | 0.05 mg/m ³ | Austria, Denmark, Germany, Sweden, Switzerland: 0.1 mg/m ³ Norway, Poland: 0.05 mg/m ³ |

If this product is heated and fumes are generated, zinc oxide fumes could be formed. The ACGIH TLV and OSHA PEL for zinc oxide fume is 5 ma/m³.

ENGINEERING CONTROLS: Local exhaust ventilation is recommended if significant dusting occurs or fumes

are generated. Otherwise, use general exhaust ventilation.

EYE / FACE PROTECTION: Use safety glasses.

SKIN PROTECTION: Wear impervious (cut-resistant) gloves and other protective clothing (aprons,

coveralls) as appropriate to prevent skin contact when using this product. if generating a dust, wash thoroughly after handling, especially before eating,

drinking, or smoking.

RESPIRATORY PROTECTION: Respiratory protection not normally needed. If dusting occurs or fumes are

generated above the PEL/TLV, use a NIOSH-approved half-face or full-face respirator equipped with High Efficiency Particulate (HEPA) filter cartridges.

GENERAL HYGIENE CONSIDERATIONS: Do not eat, drink, or smoke while using this product in dust form.

9. PHYSICAL AND CHEMICAL PROPERTIES

| PROPERTY | VALUE | PROPERTY | VALUE |
|-------------------|-----------------------------|--------------------------|---|
| Appearance. | Red/gold metallic | Vapor Density (air = 1). | Not applicable |
| Odor: | None | Boiling Point (° F). | No data |
| Molecular Weight. | Not applicable - Mixture | Melting point:. | L:930 - 1065°C (1710- 1950°F) S:905-1050°C (1650- 1920°F) |
| Physical State. | Solid | Specific gravity (g/cc). | 8.66 |
| рН: | Not applicable | Bulk Density. | 8.66 g/cc |



| Vapor Pressure (mm Hg): | Not applicable | Viscosity (cps). | Not applicable |
|-------------------------------|----------------|--|----------------|
| Vapor Density. | Not applicable | Decomposition: | Not applicable |
| Solubility in Water (20°C): | Negligible | Evaporation Rate. | Not Applicable |
| Volatiles, Percent by volume: | Not applicable | Octanol/water partition coefficient:. | Unknown |

10. STABILITY AND REACTIVITY

Stable under normal temperatures and pressure

CONDITIONS TO AVOID: Not affected by mechanical impact or shock or by electrical discharge.

MATERIALS TO AVOID: Acetylene, chlorine

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to decomposition, may produce metal oxides and fumes. Inhalation of

high concentrations of metal fumes may cause a condition known as "metal fume

fever" which is characterized by flu-like symptoms.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

<u>POTENTIAL EXPOSURE ROUTES:</u> For dust: ingestion, inhalation, and eye contact. For fume: inhalation and eye contact. The finished alloy metal is not hazardous.

ACUTE ANIMAL TOXICITY DATA:

| . [| For Product: (dust or fume): | | <u>For Components</u> | | | | |
|-----|------------------------------|--|---------------------------------------|----------------|--------------|--|--|
| | | | Copper | Copper Lead | | | |
| | Oral LD50 | Believed to be moderately toxic | 3.5 mg/kg (mouse, intraperitoneal) | No data | No data | | |
| | Dermal LD50 | Believed to be > 2 g/kg | 375 mg/kg (rabbit, subcutaneous) | No data | No data | | |
| | Inhalation LC50 | Believed to be slightly to moderately toxic | No data | No data | No data | | |
| | Irritation | Believed to be an eye and respiratory irritant | Respiratory irritant | Not irritating | Eye irritant | | |

SUBCHRONIC/ CHRONIC TOXICITY: No information for product.

CARCINOGENICITY: This product is not known or reported to be carcinogenic. The

International Agency for Research on Cancer (IARC) lists lead as possibly

carcinogenic to humans, group 2B.



MUTAGENICITY: This product is not known or reported to be mutagenic. Lead has been shown

to be mutagenic in several in vitro assays.

REPRODUCTIVE, TERATOGENICITY, OR

DEVELOPMENTAL EFFECTS:

This product is not known or reported to cause reproductive or

developmental effects. Lead has been shown to affect fetal development including birth defects and reduce male reproductive function in

laboratory animals.

NEUROLOGICAL EFFECTS: This product is not known or reported to cause neurological effects. Lead has

caused peripheral and central nervous system damage and behavioral effects in

laboratory animals.

INTERACTIONS WITH OTHER CHEMICALS

WHICH ENHANCE TOXICITY: None known or reported.

12. ECOLOGICAL INFORMATION

ECOTOXICITY: No data is available on this product. Individual constituents are as follows:

Copper: The toxicity of copper to aquatic organisms varies significantly not only with the species, but

also with the physical and chemical characteristics of the water, such as its temperature, hardness, turbidity and carbon dioxide content. Copper concentrations varying from 0.1 to 1.0 mg/l have been found by various investigators to be not toxic for most fish. However,

concentrations of 0.015 to 3.0 mg/l have been reported as toxic, particularly in soft water to

many kinds of fish, crustaceans, mollusks, insects, and plankton.

<u>Lead</u>: LC50(48 hrs.) to bluegill (Lepomis macrochirus) is reported to be 2-5 mg/l.

Lead is toxic to waterfowl.

MOBILITY: Dissolved lead may migrate through soil.

PERSISTANCE/DEGRADABILITY: Lead may persist and accumulate in the environment.

BIOACCUMULATION: No Data

13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D. Care must be taken to prevent environmental contamination from the use of this material. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and non-hazardous wastes. This product may be a candidate for metal reclamation.

14. TRANSPORTATION INFORMATION

| | U.S. DOT | RID/ADR | IMDG | IATA | IMO | Canada TDG |
|-----------------------|----------|---------|----------|-------|-----|------------|
| PROPER SHIPPING NAME: | | | Not regu | lated | | |
| HAZARD CLASS: | | | rtotrega | idea | | |
| UN NO.: | | | | | | |
| PACKING GROUP: | | | | | | |
| LABEL: | | | | | | |
| REPORTABLE QUANTITY: | | | | | | |



15. REGULATORY INFORMATION

US FEDERAL

| TSCA | The components of this product are listed on the Toxic Substance Control Act inventory. | | | | | |
|------------------------|--|-----------------------------------|----------------------|----------------------------|---------------------------|--|
| CERCLA: | Zinc, R.Q. = 1000 lbs.; Copper, R.Q.= 5000 lbs.; Lead, R.Q. = 10 lbs. No reporting is required if diameter of the pieces of metal is equal to or exceeds 100 micrometers (0.004 inches). | | | | | |
| SARA 313: | Copper, Zinc (fume or dust | Copper, Zinc (fume or dust), Lead | | | | |
| SARA 313 Hazard Class: | Health: For dust or fume only | Acute – Yes Chronic - Yes | <u>Fire:</u> None | <i>Reactivity:</i> None | Release of Pressure. None | |
| SARA 302 EHS List: | None of the components of this product are listed. | | | | | |

^{*}RQ = Reportable Quantity

STATE RIGHT-TO-KNOW STATUS

| Component | *CA Prop. 65 | New Jersey | Pennsylvania | Massachusetts | Michigan |
|-----------|--------------|------------|--------------|---------------|----------|
| Copper | Not listed | Χ | Χ | Χ | Χ |
| Zinc | Not listed | Χ | Not listed | Х | Х |
| Lead | Х | Χ | Χ | Х | Х |

^{*&}quot;WARNING: This product contains detectable amounts of a chemical(s) known to the State of California to cause cancer and/or birth defects or other reproductive harm."

EUROPEAN REGULATIONS

Because this may material contain lead at > 0.2%, this material is classified as **Xn**, **Harmful**.

However, this material in its massive solid form is not required to be labeled under EC regulations.

German WGK Classification: Not classified

CANADIAN REGULATIONS

DSL LIST: The components of this product are on the DSL or are exempt from reporting under the New Substances

Notification Regulations.

IDL: Copper, Lead

WHMIS: This product is considered to be a manufactured article and therefore not subject to WHMIS requirements.

16. OTHER INFORMATION

REVISIONS: Update to composition 1/1/04, revised format 6/1/15

PREPARED BY: WIELAND

NOTICE: THE INFORMATION IN THIS SDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. WIELAND NA RA BELIEVES THIS INFORMATION TO BE RELIABLE AND CURRENT AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS.

This document reviewed annually

Wieland NA RA SDS No.: 01375.0001 Tin Coated Brass



1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: TIN ALLOY
Chemical Name: Metal Alloy

Synonyms: Metallic Tin Coatings and Tin based Tin/Lead Formulation Solders/Alloys

Chemical Family: Copper

Formula: Not applicable - mixture

Product Use: Metallurgical Products

Manufacturer:

SDS Control Group Technical Information: Emergency Information:

Wieland NA RA (618)258-5654 (618)258-5167

305 Lewis and Clark Blvd East Alton, IL 62024-1197

www.wieland.com

2. HAZARD IDENTIFICATION

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

Health hazards associated with this product only apply in a fume or dust form.

Classification of the substance or mixture (Fume or Dust)

OSHA HCS 2012 Flammability – 0 Health – 1 Physical – 0

Label Elements



Hazard Statements Causes skin irritation – H315

May cause respiratory irritation - H335

Precautionary statements Avoid breathing dust or fumes – P261

Prevention Avoid breathing dust or fumes – P261

Do not get in eyes, on skin, or on clothing - P262

In case of inadequate ventilation wear respiratory protection – P285

Response

Wieland NA RA SDS No.: 01375.0001 Tin Coated Brass



EYE CONTACT: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. - P305 + P351 + P338

SKIN CONTACT: Rinse skin with water/shower – P353

Take off contaminated clothing and wash before reuse – P362

INHALATION: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing - P340

Get medical advice/attention - P313

<u>INGESTION:</u> Not a likely route of exposure for finished metal alloy.

If dust is ingested, immediately drink water to dilute.

Get medical advice/attention - P363

NOTE TO PHYSICIANS: There is no specific antidote to the active ingredients in this product; use symptomatic treatment.

Other Hazards

OSHA HSC 2012 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product

is considered hazardous.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Exposure to dust or fume may aggravate an existing dermatitis,

asthma, emphysema, or other respiratory disease.

Canada According to WHMIS

Classification of the substance or mixture

WHMIS This product is considered to be a manufactured article and therefore not subject to WHMIS requirements.

Other Information

NFPA Not rated

3. COMPOSITION/INFORMATION ON INGREDIENTS

| CAS Number | Components | % By Weight | EINECS/ELINCS | EU Classification | |
|------------|------------|-------------|---------------|-------------------|----------|
| | | | # | Symbol | R-Phrase |
| 7439-92-1 | Lead | 0 - 40 | 231-100-4 | None | None |
| 7440-31-5 | Tin | 60 - 100 | 231-141-8 | None | None |

OSHA REGULATORY STATUS: In solid form, not hazardous. Dust or fume: carcinogen, irritant, lung, blood, kidney, reproductive and developmental toxin, neurotoxin

In solid form, this material is not hazardous. Dust and fumes are hazardous materials.

Wieland NA RA SDS No.: 01375.0001 Tin Coated Brass

Revision Date: 12/22/19 Review Date: 1/1/20

Page 10 of 15



4. FIRST AID MEASURES

Immediately flush out fume and dust particles with large amounts of water for at least 15 minutes, **EYE CONTACT:**

occasionally lifting the upper and lower eyelids. If eye irritation develops, call a physician at once.

SKIN CONTACT: If exposed to dust or fumes, wash skin with plenty of water. Remove contaminated clothing and shoes

and launder before reuse. If skin irritation or rash develops and persists or recurs, get medical

attention

INHALATION: If symptoms of lung irritation occur (coughing, wheezing or breathing difficulty), remove from exposure

area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep affected

person warm and at rest. Get medical attention.

Not a likely route of exposure for finished metal alloy. If dust is ingested, immediately drink water to INGESTION:

dilute. Consult a physician if symptoms develop.

NOTE TO PHYSICIANS: There is no specific antidote to the active ingredients in this product; use symptomatic treatment.

FIRE FIGHTING MEASURES

| PROPERTY | VALUE | PROPERTY | VALUE |
|------------------------|----------------|---|----------------|
| Explosive | No | Flammable | No |
| Combustible | No | Pyrophoric | No |
| Flash Point (°C): | Not Applicable | Burning Rate of Material | Not Applicable |
| Lower Explosive Limit: | Not Applicable | Auto Ignition Temp: | Not Applicable |
| Upper Explosive Limit: | Not Applicable | Flammability Classification: (Defined by 29 CFR | Not Applicable |
| | | 1910.1200) | |

UNSUAL FIRE AND EXPLOSION HAZARDS: Dust may cause an ignitable and/or an explosive atmosphere.

EXTINGUISHING MEDIA: For localized powder fires, smother with dry sand, dry dolomite, sodium

chloride or soda ash. Use fire-extinguishing media appropriate to fight

surrounding fire.

SPECIAL FIREFIGHTING PROCEDURES: None required.

ACCIDENTAL RELEASE MEASURES

FOR ALL TRANSPORTATION ACCIDENTS, CALL (618)258-5167.

In dust form, this product may be an explosion hazard. Remove all sources of ignition. Dust of fume may be suppressed by the use of a local exhaust system. Dispose of per guidelines under Section 13, WASTE DISPOSAL.

HANDLING AND STORAGE

| HANDLING: | | Avoid dispersion of dust in air |
|-----------|---------------------------------------|---------------------------------|
| STORAGE: | | No special requirements |
| | Shelf Life Limitations: | None known |
| | Incompatible Materials for Packaging: | None known |



| Incompatible Materials for Storage or Transport: | None known |
|--|--|
| OTHER PRECAUTIONS: | Do not shake clothing, rags or other items to remove dust. |
| | Dust should be removed by washing or HEPA vacuuming. |
| | Do not use compressed air for cleaning or dry sweeping. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| CAS# | CHEMICAL | ACGIH TLV | OSHA PEL | INTERNATIONAL OELS |
|-----------|----------|------------------------|------------------------|---|
| | NAME | | | |
| 7439-92-1 | Lead | 0.05 mg/m ³ | 0.05 mg/m ³ | Austria, Denmark, Germany, Sweden, Switzerland: 0.1 |
| | | | | mg/m ³ |
| | | | | Norway, Poland: 0.05 mg/m ³ |
| 7440-31-5 | Tin | 2 mg/m ³ | 2 mg/m ³ | U.K. (LTEL): 5 mg/m ³ |
| | | | | Austria & Germany (MAK), Belgium, Finland, Denmark, |
| | | | | The Netherlands, Poland, Switzerland: 2 mg/m ³ |
| | | | | Hungary, Norway: 1 mg/m ³ |

ENGINEERING CONTROLS: Local exhaust ventilation is recommended if significant dusting occurs or fumes

are generated. Otherwise, use general exhaust ventilation.

EYE / FACE PROTECTION: Use safety glasses.

SKIN PROTECTION: Wear impervious (cut-resistant) gloves and other protective clothing (aprons,

coveralls) as appropriate to prevent skin contact when using this product. if generating a dust, wash thoroughly after handling, especially before eating,

drinking, or smoking.

RESPIRATORY PROTECTION: Respiratory protection not normally needed. If dusting occurs or fumes are

generated above the PEL/TLV, use a NIOSH-approved half-face or full-face respirator equipped with High Efficiency Particulate (HEPA) filter cartridges.

GENERAL HYGIENE CONSIDERATIONS: Do not eat, drink, or smoke while using this product in dust form.

9. PHYSICAL AND CHEMICAL PROPERTIES

| PROPERTY | VALUE PROPERTY | | VALUE |
|-------------------------|-------------------------------|--------------------------|------------------------------|
| Appearance: | Solid-silver to gray metallic | Vapor Density (air = 1). | Not applicable |
| Odor: | None | Boiling Point (° F). | 1740°C (3164°F) |
| Molecular Weight. | Not applicable - Mixture | Melting point:. | 183 – 324°C (361 - 616°F) |
| Physical State: | Solid | Specific gravity (g/cc). | 5.83 – 11.27 |
| рН: | Not applicable | Bulk Density. | Not applicable |
| Vapor Pressure (mm Hg): | Not applicable | Viscosity (cps): | Not applicable |



| Vapor Density. | Not applicable | Decomposition: | Not applicable |
|-------------------------------|----------------|--|----------------|
| Solubility in Water (20°C): | Negligible | Evaporation Rate. | • • |
| Volatiles, Percent by volume: | Not applicable | Octanol/water partition coefficient:. | Unknown |

10. STABILITY AND REACTIVITY

STABILITY: Stable under normal temperatures and pressure

CONDITIONS TO AVOID: Not affected by mechanical impact or shock or by electrical discharge.

MATERIALS TO AVOID: Strong oxidizers, acids, hydrogen peroxide, chlorine, turpentine, active metals –

sodium, potassium; powdered lead fused with ammonium nitrate may cause a

violent reaction.

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to decomposition, may produce metal oxides and fumes. Inhalation of

high concentrations of metal fumes may cause a condition known as "metal fume

fever" which is characterized by flu-like symptoms.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

<u>POTENTIAL EXPOSURE ROUTES:</u> For dust: ingestion, inhalation, and eye contact. For fume: inhalation and eye contact. The finished alloy metal is not hazardous.

ACUTE ANIMAL TOXICITY DATA:

| For Product (dust or fume) | | For Con | nponents |
|----------------------------|-------------------------------|----------------|----------|
| | | Lead | Tin |
| Oral LD50 | Believed to be slightly toxic | No data | No data |
| Dermal LD50 | Believed to be > 2 g/kg | No data | No data |
| Inhalation | Believed to be slightly to | No data | No data |
| LC50 | moderately toxic | | |
| Irritation | Eye and respiratory irritant | Not irritating | No data |

SUBCHRONIC/ CHRONIC TOXICITY: No information for product. Lead has caused blood, kidney and

nervous system damage in laboratory animals.

CARCINOGENICITY: IARC lists lead as possibly carcinogenic to humans, Group 2B.

MUTAGENICITY:

This product is not known or reported to be mutagenic.

REPRODUCTIVE, TERATOGENICITY, OR

This product is not known or reported to cause repr

This product is not known or reported to cause reproductive or developmental effects. Lead has been shown to affect fetal development including birth defects and reduce male reproductive

function in laboratory animals.

Wieland NA RA SDS No.: 01375.0001 Tin Coated Brass
Revision Date: 12/22/19 Review Date: 1/1/20

DEVELOPMENTAL EFFECTS:



NEUROLOGICAL EFFECTS:

This product is not known or reported to cause neurological effects. Lead has caused peripheral and central nervous system damage and behavioral effects in laboratory animals...

INTERACTIONS WITH OTHER CHEMICALS WHICH ENHANCE TOXICITY:

None known or reported.

12. ECOLOGICAL INFORMATION

ECOTOXICITY: No data is available on this product. Individual constituents are as follows:

<u>Lead:</u> LC50 (48 hrs.) to bluegill (*Lepomis macrochirus*) is reported to be 2-5 mg/l.

Lead is toxic to waterfowl.

MOBILITY: Dissolved lead may migrate through soil.

PERSISTANCE/DEGRADABILITY: Not biodegradable. Lead may persist and accumulate in the environment.

BIOACCUMULATION: No Data

13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D. Care must be taken to prevent environmental contamination from the use of this material. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and non-hazardous wastes. This product may be a candidate for metal reclamation.

14. TRANSPORTATION INFORMATION

| | U.S. DOT | RID/ADR | IMDG | IATA | IMO | Canada TDG |
|-----------------------|----------|---------|----------|-------|-----|------------|
| PROPER SHIPPING NAME: | | | Not regu | lated | | |
| HAZARD CLASS: | | | riotrega | atea | | |
| UN NO.: | | | | | | |
| PACKING GROUP: | | | | | | |
| LABEL: | | | | | | |
| REPORTABLE QUANTITY: | | | | | | |

15. REGULATORY INFORMATION

US FEDERAL

| TSCA | The components of this product are listed on the Toxic Substance Control Act inventory. | | | | | |
|------------------------|---|------|--|--|--|--|
| CERCLA: | Lead, R.Q. = 10 lbs (No reporting is required if diameter of the pieces of metal is equal to or exceeds 100 micrometers (0.004 inches). | | | | | |
| SARA 313: | Lead | Lead | | | | |
| SARA 313 Hazard Class: | Health.Acute – NoFire:Reactivity:Release of Pressure.For dust or fume onlyChronic - YesNoneNone | | | | | |
| SARA 302 EHS List: | None of the components of this product are listed. | | | | | |



STATE RIGHT-TO-KNOW STATUS

| Component | *CA Prop. 65 | New Jersey | Pennsylvania | Massachusetts | Michigan |
|-----------|--------------|------------|--------------|---------------|------------|
| Lead | Х | Х | X | X | Х |
| Tin | Not listed | Not listed | Χ | Χ | Not listed |

^{* &}quot;WARNING: This product contains detectable amounts of a chemical(s) known to the State of California to cause cancer and/or birth defects or other reproductive harm."

EUROPEAN REGULATIONS

This material is classified as: **Xn**, **Harmful**. However, this material in its massive solid form is not required to be labeled under EC regulations. German WGK Classification: Not classified

CANADIAN REGULATIONS

DSL LIST: The components of this product are on the DSL or are exempt from reporting under the New Substances

Notification Regulations.

IDL: Lead and Tin

WHMIS: This product is considered to be a manufactured article and therefore not subject to WHMIS requirements.

16. OTHER INFORMATION

REVISIONS: Update to composition 1/1/04, revised format 6/1/15, update company name 12/22/19

PREPARED BY: Wieland NA RA

NOTICE: THE INFORMATION IN THIS SDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. WIELAND NA RA BELIEVES THIS INFORMATION TO BE RELIABLE AND CURRENT AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS.

This document reviewed annually

Wieland NA RA SDS No.: 01375.0001 Tin Coated Brass

^{*}RQ = Reportable Quantity