

Wymiar	Waga ok. kg/m (gęstość 8,9)	Elmedur X CuCr1Zr CW106C 2.1293 C18150	Elmedur XS CuCr1Zr CW106C 2.1293 C18150	Elmedur NCS CuNi2SiCr ~ CW111C ~ 2.0855 C18000	Elmedur HA CuCo1Ni1Be CW103C ~ 2.1285 C17500	Elmedur B2 CuBe2 CW101C 2.1247 C17200
6	0,3	x				x
8	0,4	x				
10	0,7	x	na zapytanie		x	x
12	1,0	x	na zapytanie		x	
12,5	1,1	x	na zapytanie			
13	1,2	x	na zapytanie		x	
14	1,4	x	na zapytanie		x	
15	1,6	x	na zapytanie	(x)	(x)	x
16	1,8	x	na zapytanie	(x)	x	
18	2,3	x	na zapytanie		x	
19	2,5	x	na zapytanie			
20	2,8	x		(x)	x	x
21	3,1	x				
22	3,4	x			x	
24	4,0	x	(x)			
25	4,4	x			x	x
26	4,7	x		x	x	
27	5,1	x				
28	5,5	x	(x)	x	(x)	
30	6,3	x			x	x
31	6,7		x			
32	7,2	x		x	x	
33	7,6	x		x		
35	8,6	x			x	x
36	9,1	x		x	x	x
37	9,6	x				
38	10,1	x				
40	11,2	x			x	x
42	12,3	x		x	x	
45	14,1	x			x	
46	14,8	x				
47	15,4	x		x	x	
50	17,5	x			x	
52	18,9	x		x	x	
55	21,1	x		x		
57	22,7			x	x	
60	25,2	x		x	x	(x)
61	26,0			x		
62	26,9	x		x	x	
65	29,5	x		x		

Wymiar	Waga ok. kg/m (gęstość 8,9)	Elmedur X CuCr1Zr CW106C 2.1293 C18150	Elmedur XS CuCr1Zr CW106C 2.1293 C18150	Elmedur NCS CuNi2SiCr ~ CW111C ~ 2.0855 C18000	Elmedur HA CuCo1Ni1Be CW103C ~ 2.1285 C17500	Elmedur B2 CuBe2 CW101C 2.1247 C17200
66	30,4			x		
67	31,4			x	x	x
70	34,2	x				

Wymiar	Waga ok. kg/m (gęstość 8,9)	Elmedur X CuCr1Zr CW106C 2.1293 C18150	Elmedur XS CuCr1Zr CW106C 2.1293 C18150	Elmedur NCS CuNi2SiCr ~ CW111C ~ 2.0855 C18000	Elmedur HA CuCo1Ni1Be CW103C ~ 2.1285 C17500	Elmedur B2 CuBe2 CW101C 2.1247 C17200
72	36,2				x	x
75	39,3	x				
77	41,4				x	x
80	44,7	x				
82	47,0				x	x
87	52,9				x	x
90	56,6	x				
92	59,1				x	x
95	63,1	x				
97	65,7				x	x
100	69,9	x				(x)
102	72,7				x	x
107	80,0				x	x
112	87,6				x	
113	89,3					x
117	95,6				x	x
120	100,6	x				
122	104,0				x	x
127	112,7				x	x
130	118,1	x				
132	121,7				x	x
137	131,1					x
142	140,9				x	x
147	151,0				x	x
152	161,4	x			x	x
158	174,4				x	
162	183,4				x	x
167	194,9					(x)
172	206,7				x	x
180	226,4	x				x
182	231,4				x	
187	244,3				(x)	
192	257,6				x	
200	279,5	x				x

x - wymiar magazynowy

(x) - wymiar dostępny tylko do wyczerpania zapasów

Dostawa w długościach produkcyjnych (dla każdego rozmiaru 1,8-3,2 m)

Inne wymiary na zapytanie.