

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: ALUMINUM CLAD ALLOYS
 Chemical Name: Metal Alloy
 Synonyms: Aluminum based Aluminum Alloy Formulations in clad form
 Chemical Family: Mixture – Metal Alloy
 Formula: Not applicable - mixture
 Product Use: Metallurgical Products
 Manufacturer:

SDS Control Group	Technical Information:	Emergency Information:
Wieland NA	(618)258-5654	(618)258-5167
305 Lewis and Clark Blvd		
East Alton, IL 62024-1197		
www.wieland.com		

2. HAZARD IDENTIFICATION

United States (US)

According to the OSHA 29 CFR 1910.1200 HCS

Health hazards associated with this product only apply in a fume or dust form.

Classification of the substance or mixture (Fume or Dust)

OSHA HCS 2012 Flammability – 0 Health – 1 Physical – 0

Label Elements OSHA HSC 2012



Hazard Statements Causes skin irritation – H315
 May cause respiratory irritation – H335

Precautionary statements Avoid breathing dust or fumes – P261

Prevention Avoid breathing dust or fumes – P261
 Do not get in eyes, on skin, or on clothing – P262
 In case of inadequate ventilation wear respiratory protection – P285

Wieland NA SDS	Aluminum Clad Alloys
Revision Date: 6/1/15	Review Date: 2/28/20

Response

<u>EYE CONTACT:</u>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. – P305 + P351 + P338. If eye irritation develops, Get medical advice/attention – P313
<u>SKIN CONTACT:</u>	Rinse skin with water/shower – P353 Take off contaminated clothing and wash before reuse – P362 If skin irritation or rash develops, get medical advice/attention – P363
<u>INHALATION:</u>	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing – P340 Get medical advice/attention – P313
<u>INGESTION:</u>	Not a likely route of exposure for finished metal alloy. If dust is ingested, immediately drink water to dilute. Get medical advice/attention – P363
<u>NOTE TO PHYSICIANS:</u>	There is no specific antidote to the active ingredients in this product; use symptomatic treatment.

Other Hazards

OSHA HSC 2012 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Exposure to dust or fume may aggravate an existing dermatitis, asthma, emphysema, or other respiratory disease.

Canada According to WHMIS

Classification of the substance or mixture

WHMIS This product is considered to be a manufactured article and therefore not subject to WHMIS requirements.

Other Information

NFPA Not rated

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS Number	Components	% By Weight	EINECS/ELINCS #	EU Classification	
				Symbol	R-Phrase
7440-50-8	Copper	0.1 – 0.6	231-159-6	None	None
7440-21-3	Silicon	1 – 11	231-130-8	None	None
7439-95-4	Magnesium	0.1 - 2	231-104-6	None	None
7439-96-5	Manganese	0.1 - 2	231-105-1	None	None
7439-89-6	Iron	0.1 – 1	231-096-4	None	None
7429-90-5	Aluminum	84 - 99	231-072-3	None	None

OSHA REGULATORY STATUS: In solid form, not hazardous. Dust or fume: carcinogen, irritant, lung, blood, kidney, reproductive and developmental toxin, neurotoxin, sensitizer

In solid form, this material is not hazardous. Dust and fumes are hazardous materials.

4. FIRST AID MEASURES

- EYE CONTACT:** Immediately flush out fume and dust particles with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If eye irritation develops, call a physician at once.
- SKIN CONTACT:** If exposed to dust or fumes, wash skin with plenty of water. Remove contaminated clothing and shoes and launder before reuse. If skin irritation or rash develops and persists or recurs, get medical attention.
- INHALATION:** If symptoms of lung irritation occur (coughing, wheezing or breathing difficulty), remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep affected person warm and at rest. Get medical attention.
- INGESTION:** Not a likely route of exposure for finished metal alloy. If dust is ingested, immediately drink water to dilute. Consult a physician if symptoms develop.
- NOTE TO PHYSICIANS:** There is no specific antidote to the active ingredients in this product; use symptomatic treatment.

5. FIRE FIGHTING MEASURES

PROPERTY	VALUE	PROPERTY	VALUE
Explosive	No	Flammable	No
Combustible	No	Pyrophoric	No
Flash Point (←C):	Not Applicable	Burning Rate of Material	Not Applicable
Lower Explosive Limit:	Not Applicable	Auto Ignition Temp:	Not Applicable
Upper Explosive Limit:	Not Applicable	Flammability Classification: (Defined by 29 CFR 1910.1200)	Not Applicable

- UNUSUAL FIRE AND EXPLOSION HAZARDS:** Dust may cause an ignitable and/or an explosive atmosphere.
- EXTINGUISHING MEDIA:** For localized powder fires, smother with dry sand, dry dolomite, sodium chloride or soda ash. Use fire-extinguishing media appropriate to fight surrounding fire.
- SPECIAL FIREFIGHTING PROCEDURES:** None required.

6. ACCIDENTAL RELEASE MEASURES

FOR ALL TRANSPORTATION ACCIDENTS, CALL (618) 258-5167.

In dust form, this product may be an explosion hazard. Remove all sources of ignition. Dust or fume may be suppressed by the use of a local exhaust system. Dispose of per guidelines under Section 13, WASTE DISPOSAL.

7. HANDLING AND STORAGE

HANDLING:	Avoid dispersion of dust in air.
STORAGE:	No special requirements.

Shelf Life Limitations:	None known
Incompatible Materials for Packaging:	None known
Incompatible Materials for Storage or Transport:	None known
OTHER PRECAUTIONS:	Do not shake clothing, rags or other items to remove dust. Dust should be removed by washing or HEPA vacuuming.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

				INTERNATIONAL OELS
7440-50-8	Copper	0.2 mg/m ³ (fume), 1 mg/m ³ (dusts and mists)	0.1 mg/m ³ 1 mg/m ³ (dusts) 3 and mists)	Austria, Belgium, Canada: 0.2 mg/m ³ (fumes), 1 mg/m ³ (dusts) Denmark: 1.0 mg/m ³ (dust and powder) Germany
7439-96-5	Manganese	0.2 mg/m ³	Ceiling – 5 mg/m ³	(MAK): 0.1 mg/m ³ (fume), 1 mg/m ³ (dusts and mists) Belgium, Denmark, Finland, France, Switzerland, U.K. – 1 mg/m ³ Sweden – 2.5 mg/m ³ Germany (MAK) – 0.5 mg/m ³
7439-95-4	Magnesium	None established	None established	None established
7439-89-6	Iron	None established	None established	None established
7440-21-3	Silicon*	10 mg/m ³	15 mg/m ³	Belgium, Denmark, France, Netherlands, U.K. – 10 mg/m ³ Switzerland – 4 mg/m ³
7429-90-5	Aluminum*	10 mg/m ³	15 mg/m ³	Belgium, France, Hungary, Sweden – 5 mg/m ³ (resp. dust) Germany, Switzerland – 6 mg/m ³ Denmark, Netherlands, U.K. – 10 mg/m ³

*This substance is regulated by OSHA as a Particulate Not Otherwise Regulated (PNOR). The exposure limits listed for both OSHA and ACGIH refer to total dust; the OSHA PEL for the respirable fraction is 5 mg/m³.

ENGINEERING CONTROLS:

Local exhaust ventilation is recommended if significant dusting occurs or fumes are generated. Otherwise, use general exhaust ventilation.

EYE / FACE PROTECTION:

Use safety glasses.

SKIN PROTECTION:

Wear impervious (cut-resistant) gloves and other protective clothing (aprons, coveralls) as appropriate to prevent skin contact when using this product. If generating a dust, wash thoroughly after handling, especially before eating, drinking, or smoking.

RESPIRATORY PROTECTION:

Respiratory protection not normally needed. If dusting occurs or fumes are generated above the PEL/TLV, use a NIOSH-approved half-face or full-face respirator equipped with High Efficiency Particulate (HEPA) filter cartridges.

GENERAL HYGIENE CONSIDERATIONS:

Do not eat, drink, or smoke while using this product in dust form.

Wieland NA SDS	Aluminum Clad Alloys
Revision Date: 6/1/15	Review Date: 2/28/20

9. PHYSICAL AND CHEMICAL PROPERTIES

PROPERTY	VALUE	PROPERTY	VALUE
Appearance:	Gray to silver	Vapor Density (air = 1):	Not applicable
Odor:	None	Boiling Point (°F):	No data
Molecular Weight:	Not applicable - Mixture	Melting point::	482 - 642°C (900 - 1200°F)
Physical State:	Solid	Specific gravity (g/cc):	> 3
pH:	Not applicable	Bulk Density:	> 3 g/cc
Vapor Pressure (mm Hg):	Not applicable	Viscosity (cps):	Not applicable
Vapor Density:	Not applicable	Decomposition:	Not applicable
Solubility in Water (20°C):	Negligible	Evaporation Rate:	Not Applicable
Volatiles, Percent by volume:	Not applicable	Octanol/water partition coefficient::	Unknown

10. STABILITY AND REACTIVITY

<u>STABILITY:</u>	Stable under normal temperatures and pressure
<u>CONDITIONS TO AVOID:</u>	Not affected by mechanical impact or shock or by electrical discharge.
<u>MATERIALS TO AVOID:</u>	For finely divided aluminum: Strong Oxidizers – violent reaction with heat generation. Acids and Alkalis – reacts to generate hydrogen. Water – water/aluminum mixtures may be hazardous when confined due to hydrogen generation.
<u>HAZARDOUS DECOMPOSITION PRODUCTS:</u>	When heated to decomposition, may produce metal oxides and fumes. Inhalation of high concentrations of metal fumes may cause a condition known as “metal fume fever” which is characterized by flu-like symptoms.
<u>HAZARDOUS POLYMERIZATION:</u>	Will not occur.

11. TOXICOLOGICAL INFORMATION

POTENTIAL EXPOSURE ROUTES: For dust: ingestion, inhalation, and eye contact. For fume: inhalation and eye contact. The finished alloy metal is not hazardous.

ACUTE ANIMAL TOXICITY DATA:

For Product:	For Components					
	Copper	Manganese	Silicon	Aluminum	Magnesium	Iron

Oral LD ₅₀	Believed to be > 5 g/kg	3.5 mg/kg (mouse, intra-peritoneal)	9 g/k (rat)	3.16 g/kg (rat)	No data	No data	30 g/kg (rat)
Dermal LD ₅₀	Believed to be > 2 g/kg	375 mg/kg (rabbit, subcutaneous)	No data	No data	No data	No data	No data
Inhalation LC ₅₀	Believed to be slightly to moderately toxic	No data	No data	No data	> 1000 mg/m ³ (4 hr, rat)	No data	No data
Irritation	Eye and respiratory irritant, sensitizer	Respiratory irritant	Mild skin & eye irritant	Eye, skin, respiratory irritant	Mild eye and skin irritant	No data	Eye irritant

<u>SUBCHRONIC/ CHRONIC TOXICITY:</u>	No information for product.
<u>CARCINOGENICITY:</u>	This product is not known or reported to be carcinogenic.
<u>MUTAGENICITY:</u>	This product is not known or reported to be mutagenic.
<u>REPRODUCTIVE, TERATOGENICITY, OR DEVELOPMENTAL EFFECTS:</u>	This product is not known or reported to cause reproductive or developmental effects.
<u>NEUROLOGICAL EFFECTS:</u>	This product is not known or reported to cause neurological effects. Chronic exposure to very high concentrations of manganese dust has caused nervous system effects including muscle weakness, tremors, and behavioral changes in humans.
<u>INTERACTIONS WITH OTHER CHEMICALS WHICH ENHANCE TOXICITY:</u>	None known or reported.

12. ECOLOGICAL INFORMATION

ECOTOXICITY: No data is available on this product. Individual constituents are as follows:

Copper: The toxicity of copper to aquatic organisms varies significantly not only with the species, but also with the physical and chemical characteristics of the water, such as its temperature, hardness, turbidity and carbon dioxide content. Copper concentrations varying from 0.1 to 1.0 mg/l have been found by various investigators to be not toxic for most fish. However, concentrations of 0.015 to 3.0 mg/l have been reported as toxic, particularly in soft water to many kinds of fish, crustaceans, mollusks, insects, and plankton.

Nickel: 96 hr LC₅₀, rainbow trout = 31.7 mg/L; 96 hr LC₅₀, fathead minnow = 3.1 mg/L; 72 hr EC₅₀, freshwater algae (4 species): = 0.1 mg/L; 96 hr LC₅₀, Daphnia = 0.51 mg/L

MOBILITY: No Data

PERSISTANCE/DEGRADABILITY: No Data

BIOACCUMULATION: No Data

13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D. Care must be taken to prevent environmental contamination from the use of this material. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and non-hazardous wastes. This product may be a candidate for metal reclamation.

14. TRANSPORTATION INFORMATION

	U.S. DOT	RID/ADR	IMDG	IATA	IMO	Canada TDG
PROPER SHIPPING NAME:	Not regulated					
HAZARD CLASS:						
UN NO.:						
PACKING GROUP:						
LABEL:						
REPORTABLE QUANTITY:						

15. REGULATORY INFORMATION

US FEDERAL

TSCA	The components of this product are listed on the Toxic Substance Control Act inventory.				
CERCLA:	Copper, R.Q. = 5000 lbs.; Nickel, R.Q. = 100 lbs. (No reporting is required if diameter of the pieces of metal is equal to or exceeds 100 micrometers)				
SARA 313:	Copper, Lead, Manganese, Nickel, Zinc (dust or fume)				
SARA 313 Hazard Class:	<u>Health:</u> For dust or fume only	Acute – Yes, Chronic - Yes	<u>Fire:</u> None	<u>Reactivity:</u> None	<u>Release of Pressure:</u> None
SARA 302 EHS List:	None of the components of this product are listed.				

*RQ = Reportable Quantity

STATE RIGHT-TO-KNOW STATUS

Component	*CA Prop 65	New Jersey	Pennsylvania	Massachusetts	Michigan
Copper	Not listed	X	X	X	X
Manganese	Not listed	X	X	X	Not listed
Magnesium	Not listed	Not listed	Not listed	Not listed	Not listed
Aluminum	Not listed	X	X	X	Not listed
Silicon	Not listed	Not listed	X	X	Not listed
Iron	Not listed	Not listed	Not listed	Not listed	Not listed

**WARNING: This product contains detectable amounts of a chemical(s) known to the State of California to cause cancer and/or birth defects or other reproductive harm."

EUROPEAN REGULATIONS

Wieland NA SDS	Aluminum Clad Alloys
Revision Date: 6/1/15	Review Date: 2/28/20

This material is classified as: Xn, Harmful. However, this material in its massive solid form is not required to be labeled under EC regulations.

German WGK Classification: Unknown

CANADIAN REGULATIONS

DSL LIST: The components of this product are on the DSL or are exempt from reporting under the New Substances Notification Regulations.

IDL: Copper, Manganese

WHMIS: This product is considered to be a manufactured article and therefore not subject to WHMIS requirements.

16. OTHER INFORMATION

REVISIONS: Update to composition 1/1/04, revised format 6/1/15

PREPARED BY: Wieland NA

NOTICE: THE INFORMATION IN THIS SDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. WIELAND NA BELIEVES THIS INFORMATION TO BE RELIABLE AND CURRENT AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS.

This document reviewed annually