

Page 1/8

# Safety Data Sheet acc. to OSHA HCS

### 1 Identification

· 1.1 Product identifier

Trade name: Wieland-GS1

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the article: Semi-finished product

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:
 Wieland-Werke AG
 Graf-Arco-Str. 36
 89079 Ulm

 Information department:
 Associations & Management Systems stefan.priggemeyer@wieland.com

· 1.4 Emergency telephone number: +49 731 944 2794 (Monday - Friday from 9 a.m. to 4 p,m.)

#### 2 Hazard(s) identification

#### · 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): The product is not classified, according to the CLP regulation.

# 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008: Void
- · Hazard pictograms: Void
- · Signal word: Void
- · Hazard-determining components of labeling: Void
- · Hazard statements: Void

#### · 2.3 Other hazards

Semi-finished products from copper or copper-alloys, as offered for sale as manufactured present no health hazard to man or for the aquatic environment.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable to metals
- · vPvB: Not applicable to metals.

## 3 Composition/information on ingredients

- · Description: Metal in compact form.
- · Material Code (DIN CEN/TS 13388): -
- · Material code (DIN CEN/TS 13388): -
- · UNS-number: -
- · Information:

The classifications listed below reflect the classification of the relevant alloying constituents and are only for information.

Mentioned percentages are references values.

· Components:

CAS: 7440-50-8	copper	90.0-96.0%
EINECS: 231-159-6		
RTECS: GL 5325000		

(Contd. on page 2)



Page 2/8

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/30/2021 Version - No. 1 Reviewed on 03/30/2021

**Trade name: Wieland-GS1** 

		(Contd. of page 1)
CAS: 7440-31-5 EINECS: 231-141-8 RTECS: XP 7320000	tin	3.0-5.0%
CAS: 7440-66-6 EINECS: 231-175-3 RTECS: ZG 8600000	zinc	1.0-3.0%
CAS: 7704-34-9 EINECS: 231-722-6	sulfur  Skin Irrit. 2, H315	0.20-0.6%
CAS: 7440-02-0 EINECS: 231-111-4	nickel	max. 0.3%
CAS: 7723-14-0 EINECS: 231-768-7 RTECS: TH 3495000	phosphorus  Flam. Liq. 2, H225; Flam. Sol. 1, H228; Aquatic Chronic 3, H412	0.01-0.10%
CAS: 7439-92-1 EINECS: 231-100-4 RTECS: OF 7525000	lead <b>♦</b> Carc. 2, H351; Repr. 1A, H360	max. 0.1%

### 4 First-aid measures

#### · 4.1 Description of first aid measures

· General information:

First Aid information refer to any dust which is generated.

The mixture in solid form does not pose any significant health hazard. However, melting or activites which produce metal dust, smoke or fumes can cause that metal dust enter the body in harmful amounts.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## **5 Fire-fighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Non-flammable. Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

  (Contd. on page 3)

US



Page 3/8

## **Safety Data Sheet** acc. to OSHA HCS

Printing date 03/30/2021 Version - No. 1 Reviewed on 03/30/2021

**Trade name: Wieland-GS1** 

(Contd. of page 2)

#### 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- · 6.2 Environmental precautions: Not required
- · 6.3 Methods and material for containment and cleaning up:

Collect the material and if necessary dispose it as waste according to section 13.

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · 7.1 Precautions for safe handling: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Further information about storage conditions: Store in dry conditions.
- · 7.3 Specific end use(s): No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.

· 8.1 C	control parameters
· Com	ponents with limit values that require monitoring at the workplace:
7440	-31-5 tin
PEL	Long-term value: 2 mg/m³ metal
REL	Long-term value: 2 mg/m³
TLV	Long-term value: 2 mg/m³ metal
7439	-92-1 lead
PEL	Long-term value: 0.05* mg/m³ *see 29 CFR 1910.1025
REL	Long-term value: 0.05* mg/m³ *8-hr TWA ;See PocketGuide App.C

(Contd. on page 4)



Page 4/8

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/30/2021 Version - No. 1 Reviewed on 03/30/2021

**Trade name: Wieland-GS1** 

	(Contd. of page 3)
TLV Long-term value: 0.05* mg/m³ *and inorganic compounds, as Pb; BEI	
· Ingredients with biological limit values:	
7439-92-1 lead	
BEI 30 μg/100 ml Medium: blood Time: not critical Parameter: Lead	
10 µg/100 ml Medium: blood Time: not critical Parameter: Lead (women of child bearing potential)	
· Additional Occupational Exposure Limit Values for possible hazards during processing:	
1314-13-2 zinc oxide	
PEL Long-term value: 15* 5** mg/m³ *total dust **respirable fraction and fume	
REL Short-term value: 10** mg/m³ Long-term value: 5 mg/m³ Ceiling limit value: 15* mg/m³ *dust only **fume	
TLV Short-term value: 10* mg/m³ Long-term value: 2* mg/m³ *as respirable fraction	

· Additional information: The lists that were valid during the creation were used as basis.

#### · 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale dust / smoke / mist.

- · Breathing equipment: Use a suitable industrial gas mask when work-place-limits are exceeded.
- · Protection of hands:

Protective gloves are recommended, depending upon how the semis are further processed.

- · Material of gloves neoprene or leather
- · Eye protection:

Protective goggles are recommended, depending upon how the semis are further processed.

· Body protection:

Wear suitable protective clothing, depending upon how the semis are further processed.

- 115



Page 5/8

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/30/2021 Version - No. 1 Reviewed on 03/30/2021

Trade name: Wieland-GS1

(Contd. of page 4)

## 9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid
Color: Copper red
Odor: Odorless
Odor threshold: Not determined.

· Change in condition

Boiling point/Boiling range: Undetermined.

• Flash point: Not applicable.

Danger of explosion: Product does not present an explosion hazard.

Density at 20 °C (68 °F): 8.98 g/cm³ (74.9381 lbs/gal)

Solubility in / Miscibility with

Water: Not soluble. VOC content: 0.00 %

• **9.2 Other information** No further relevant information available.

### 10 Stability and reactivity

- · 10.1 Reactivity: Not applicable.
- · 10.2 Chemical stability: Not applicable.
- Thermal decomposition / conditions to be avoided:
   No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

· General information:

The solid product does not pose a health hazard if handled properly.

Effect on the skin: No effects. Effect on eyes: No effects.

Sensitization: Due to the nickel content avoid direct and prolonged skin contact.

US



Page 6/8

## **Safety Data Sheet** acc. to OSHA HCS

Printing date 03/30/2021 Version - No. 1 Reviewed on 03/30/2021

**Trade name: Wieland-GS1** 

(Contd. of page 5)

### 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.
- · General notes: Semi-finished articles from copper and copper-alloys are not soluble in water.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable to metals.
- · vPvB: Not applicable to metals.
- · 12.6 Other adverse effects: No further relevant information available.

### 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Contact manufacturer for recycling information.

Waste disposal key:

12 01 03: Non-ferrous metal fillings and turnings

16 01 18: Non-ferrous metal

for non-contaminated waste

· 14.1 UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
DOT	Void	
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
· DOT, ADR, IMDG, İATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user:	Not applicable.	



Page 7/8

# Safety Data Sheet acc. to OSHA HCS

Trade name: Wieland-GS1

(Contd. of page 6)

· 14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

# 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 35	5 (extremely hazardous substances):	
7723-14-0	phosphorus	
· Section 31	3 (Specific toxic chemical listings):	
7440-50-8	copper	
7440-66-6	zinc	
7440-02-0	nickel	
7723-14-0	phosphorus	
7439-92-1	lead	
· TSCA (Tox	cic Substances Control Act):	
7440-50-8	copper	ACTIVE
7440-31-5	tin	ACTIVE
7440-66-6	zinc	ACTIVE
7704-34-9	sulfur	ACTIVE
7440-02-0	nickel	ACTIVE
7723-14-0	phosphorus	ACTIVE
7439-92-1	lead	ACTIVE
· Hazardous	Air Pollutants:	
7723-14-0	phosphorus	
7439-92-1	lead	
Droposition	0.5	

· Proposition 65

· Chemicals	known to cause cancer:
7440-02-0	nickel
7/130_02_1	lead

· Chemicals known to cause reproductive toxicity for females:

7439-92-1 lead

· Chemicals known to cause reproductive toxicity for males:

7439-92-1 lead

· Chemicals known to cause developmental toxicity: 7439-92-1 lead

(Contd. on page 8)



Page 8/8

# Safety Data Sheet acc. to OSHA HCS

Trade name: Wieland-GS1

		(Contd. of pa	age 7)
· Canceroge	enity categories		
· EPA (Envi	ronmental Protection Agency):		
7440-50-8	copper	D	
7440-66-6	zinc	D,	I, II
7723-14-0	phosphorus	D	
7439-92-1	lead	B2	2
· TLV (Thre	shold Limit Value established by ACGIH):		
7440-02-0	nickel		A5
7439-92-1	lead		А3
· NIOSH-Ca	a (National Institute for Occupational Safety and Health):		一
7440-02-0	nickel		
· Chemical	safety assessment: void.		

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific article features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Associations & Management Systems
- · Contact:

Dr. Stefan Priggemeyer Phone +49 731 944 2794

US