

Page 1/7

Information sheet

for articles

Printing date 24.04.2025

Version - No. 5

Revision: 24.04.2025

SECTION 1: Identification of the article and of the company: · 1.1 Product identifier · Trade name: eco M41 · UFI: -1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the article: Semi-finished product 1.3 Details of the supplier of the data sheet Manufacturer/Supplier: Wieland-Werke AG Graf-Arco-Straße 36 89079 Ulm (Germany) Tel.: +49 731 944 0 Fax: + 49 731 944 2799 · Further information obtainable from: ESG Affairs stefan.priggemeyer@wieland.com · 1.4 Telephone number: Factory security offices Phone: +49 731 944 2794 (Monday - Friday from 9 a.m. to 4 p.m.) Remarks for information sheet: Semi-finished products from copper and copper-alloys are articles according to Regulation (EC) No. 1907/2006 (REACH Regulation). For articles there is no legal obligation to issue a safety data sheet. However, to be able to provide information typically included in a safety data sheet also for articles, the present information sheet for articles has been worked out. We expressly point out, that the information sheet for articles is a voluntarily issued information sheet which is not subject to the formal requirements of the REACH

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Semi-finished poducts do not fall within the scope of the CLP-Regulation and therefore they are not classified!
- 2.2 Label elements

Regulation.

- · Labelling according to Regulation (EC) No 1272/2008: Void
- · Hazard pictograms: Void
- Signal word: Void
- · Hazard statements: Void
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable to metals
- · **vPvB:** Not applicable to metals.

(Contd. on page 2)

wieland

Page 2/7

Information sheet

for articles

Printing date 24.04.2025

Version - No. 5

Revision: 24.04.2025

(Contd. of page 1)

Trade name: eco M41

Description: Metal Material code (CE Material number (UNS-number: C27 Information: The classifications for information.	N/TS 13388): CuZn38As CEN/TS 13388): CW511L	and are on
Alloy components	:	
CAS: 7440-50-8 EINECS: 231-159-6	copper ခ	61.5-63.5
CAS: 7440-66-6 EINECS: 231-175-3	zinc 3	balance%
CAS: 7440-02-0	nickel ⁴ & Carc. 2, H351; STOT RE 1, H372; 솻 Skin Sens. 1, H317	max. 0.3 ^o
EINECS: 231-111-4		max. 0.2 ^o
CAS: 7439-92-1	lead 4 🚸 Repr. 1A, H360FD-H362; 🚸 Aquatic Chronic 1, H410 (M=10)	max. 0.2

7439-92-1 lead

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information:

First Aid information refer to any dust which is generated.

The mixture in solid form does not pose any significant health hazard. However, melting or activites which produce metal dust, smoke or fumes can cause that metal dust enter the body in harmful amounts.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed:** No further relevant information available.

(Contd. on page 3)

٠w٠



Page 3/7

Information sheet

for articles

Printing date 24.04.2025

Version - No. 5

Revision: 24.04.2025

(Contd. of page 2)

Trade name: eco M41

 • 4.3 Indication of any immediate medical attention and special treatment needed: No further relevant information available.

SECTION 5: Firefighting measures

- [·] 5.1 Extinguishing media
- · Suitable extinguishing agents: Non-flammable. Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture:** No further relevant information available.
- 5.3 Advice for firefighters:
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- · 6.2 Environmental precautions: Not required.
- **6.3 Methods and material for containment and cleaning up:** Collect the material and if necessary dispose it as waste according to section 13.
- 6.4 Reference to other sections: See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling: No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Further information about storage conditions: Store in dry conditions.

· 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see section 7.

Ingredients with limit values that require monitoring at the workplace:

7440-50-8 copper

MAK (Germany) Long-term value: 0.01 A mg/m³ als Cu

(Contd. on page 4)

W



Page 4/7

Information sheet

for articles

Printing date 24.04.2025

Version - No. 5

Revision: 24.04.2025

Trade name: eco M41

	(Contd. of pa
7440-66-6 zinc	
MAK (Germany))Long-term value: 0.1A* 2E** mg/m³ *respirable; **inhalable
7439-92-1 lead	
MAK (Germany)) Long-term value: 0.004E mg/m³ vgl.Abschn.XII
BOELV (EU)	Long-term value: 0.15 mg/m³ as Pb
7440-02-0 nicke	el
AGW (Germany	/) Long-term value: 0.006A; 0.030E* mg/m³ 8(II);AGS, 24, Sh, Y, 10*, 31*
Ingredients wit	h biological limit values:
7439-92-1 lead	
BLV (Germany)	150 μg/l Test material: Blood Parameter: Lead
Additional Occ	upational Exposure Limit Values for possible hazards during processing:
	mit (A - respirable fraction, E - inhalable fraction)
•	
AGW (Germany	/) (A) 3 (E)10 mg/m ³
Additional info	
Additional info	rmation:
Additional info The lists valid du For the abbrevia	rmation: uring the making were used as basis. ations, please refer to TRGS 900.
Additional info The lists valid du For the abbrevia 8.2 Exposure c Personal prote	rmation: uring the making were used as basis. ations, please refer to TRGS 900. controls ctive equipment:
Additional info The lists valid du For the abbrevia 8.2 Exposure c Personal prote General protec	rmation: uring the making were used as basis. ations, please refer to TRGS 900. controls ctive equipment: tive and hygienic measures:
Additional info The lists valid du For the abbrevia 8.2 Exposure c Personal prote General protec Keep away from	<pre>rmation: uring the making were used as basis. ations, please refer to TRGS 900. controls ctive equipment: tive and hygienic measures: n foodstuffs, beverages and feed.</pre>
Additional info The lists valid du For the abbrevia 8.2 Exposure c Personal prote General protec Keep away from Wash hands be	<pre>rmation: uring the making were used as basis. ations, please refer to TRGS 900. controls ctive equipment: tive and hygienic measures: n foodstuffs, beverages and feed. fore breaks and at the end of work.</pre>
Additional info The lists valid du For the abbrevia 8.2 Exposure c Personal prote General protec Keep away from Wash hands be Store protective	<pre>rmation: uring the making were used as basis. ations, please refer to TRGS 900. controls ctive equipment: tive and hygienic measures: n foodstuffs, beverages and feed.</pre>
Additional info The lists valid du For the abbrevia 8.2 Exposure c Personal prote General protec Keep away from Wash hands be Store protective Do not inhale du Respiratory pro	<pre>rmation: uring the making were used as basis. ations, please refer to TRGS 900. controls ctive equipment: tive and hygienic measures: n foodstuffs, beverages and feed. fore breaks and at the end of work. clothing separately. ust / smoke / mist. otection: Use a suitable industrial gas mask when work-place-limits are exceeded.</pre>
Additional info The lists valid du For the abbrevia 8.2 Exposure c Personal prote General protec Keep away from Wash hands be Store protective Do not inhale du Respiratory pro Protection of h	<pre>rmation: uring the making were used as basis. ations, please refer to TRGS 900. controls ctive equipment: tive and hygienic measures: n foodstuffs, beverages and feed. fore breaks and at the end of work. clothing separately. ust / smoke / mist. otection: Use a suitable industrial gas mask when work-place-limits are exceeded. ands:</pre>
Additional info The lists valid du For the abbrevia 8.2 Exposure c Personal prote General protec Keep away from Wash hands be Store protective Do not inhale du Respiratory pro Protection of h Protective glove	<pre>rmation: uring the making were used as basis. ations, please refer to TRGS 900. controls ctive equipment: tive and hygienic measures: n foodstuffs, beverages and feed. fore breaks and at the end of work. clothing separately. ust / smoke / mist. otection: Use a suitable industrial gas mask when work-place-limits are exceeded. ands: as are recommended, depending upon how the semis are further processed (material)</pre>
Additional info The lists valid du For the abbrevia 8.2 Exposure c Personal prote General protec General protec Keep away from Wash hands be Store protective Do not inhale du Respiratory pro Protection of h Protective glove gloves: neopren	<pre>rmation: uring the making were used as basis. ations, please refer to TRGS 900. controls ctive equipment: tive and hygienic measures: n foodstuffs, beverages and feed. fore breaks and at the end of work. clothing separately. ust / smoke / mist. otection: Use a suitable industrial gas mask when work-place-limits are exceeded. ands: es are recommended, depending upon how the semis are further processed (material is or leather).</pre>
Additional info The lists valid du For the abbrevia 8.2 Exposure c Personal prote General protec Keep away from Wash hands be Store protective Do not inhale du Respiratory pro Protective glove gloves: neopren Eye protection Protective goggl sealed goggles	<pre>rmation: uring the making were used as basis. ations, please refer to TRGS 900. ontrols ctive equipment: tive and hygienic measures: n foodstuffs, beverages and feed. fore breaks and at the end of work. clothing separately. ust / smoke / mist. otection: Use a suitable industrial gas mask when work-place-limits are exceeded. ands: es are recommended, depending upon how the semis are further processed (materia e or leather). : les are recommended, depending upon how the semis are further processed (tightly - EN 166).</pre>
Additional info The lists valid du For the abbrevia 8.2 Exposure c Personal prote General protec Keep away from Wash hands be Store protective Do not inhale du Respiratory pro Protective glove gloves: neopren Eye protection Protective goggl sealed goggles Body protectio	<pre>rmation: uring the making were used as basis. ations, please refer to TRGS 900. ontrols ctive equipment: tive and hygienic measures: n foodstuffs, beverages and feed. fore breaks and at the end of work. clothing separately. ust / smoke / mist. otection: Use a suitable industrial gas mask when work-place-limits are exceeded. ands: es are recommended, depending upon how the semis are further processed (materia e or leather). : les are recommended, depending upon how the semis are further processed (tightly - EN 166).</pre>

(Contd. on page 5)



Page 5/7

Information sheet

for articles

Printing date 24.04.2025

Version - No. 5

Revision: 24.04.2025

(Contd. of page 4)

Trade name: eco M41

9.1 Information on basic phys General Information	ical and chemical properties			
Appearance:				
Colour:	Brass yellow			
Odour:	Odourless			
Odour threshold:	Not determined.			
Change in condition				
Melting point/freezing point	870-903 °C (Lit.)			
Initial boiling point and boili				
Flash point:	Not applicable.			
Density at 20 °C:	8.39 g/cm ³ (Lit.)			
Solubility in / Miscibility with a	at 20 °C Not soluble.			

SECTION 10: Stability and reactivity

- · 10.1 Reactivity: Not applicable.
- · 10.2 Chemical stability: Not applicable.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- General information:
- The solid product does not pose a health hazard if handled properly.

Effect on the skin: No effects. Effect on eyes: No effects. Sensitization: No effects.

Endocrine disrupting properties: None of the ingredients are contained.

(Contd. on page 6)



Page 6/7

Information sheet

for articles

Printing date 24.04.2025

Version - No. 5

Revision: 24.04.2025

Trade name: eco M41

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability: No further relevant information available.

• **12.3 Bioaccumulative potential:** No further relevant information available.

• **12.4 Mobility in soil:** No further relevant information available.

• General notes: Semi-finished articles from copper and copper-alloys are not soluble in water.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable to metals.

· **vPvB:** Not applicable to metals.

• **12.6 Endocrine disrupting properties:** The product does not contain any substances with endocrine disrupting properties.

• 12.7 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation: Contact manufacturer for recycling information.

• European waste catalogue 12 01 03: non-ferrous metal filings and turnings

16 01 18: non-ferrous metal

for non-contaminated waste

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user:	Not applicable.	
		(Contd. on page 7

(Contd. on page 7)



Page 7/7

Information sheet

for articles

Printing date 24.04.2025

Version - No. 5

Revision: 24.04.2025

(Contd. of page 6)

Trade name: eco M41

 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Chemical safety assessment: Void.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Waterhazard class: Generally not hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

7439-92-1 lead

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific article features and shall not establish a legally valid contractual relationship.

· Department issuing information sheet: ESG Affairs

· Contact:

Dr. Stefan Priggemeyer Phone +49 731 944 2794

Email: stefan.priggemeyer@wieland.com

* Data compared to the previous version altered.