

Page 1/8

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/28/2022

Version - No. 8

Reviewed on 04/28/2022

1 Identification

· Product identifier

- Trade name: Wieland-KA8
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the article: Semi-finished product
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Wieland-Werke AG Graf-Arco-Str. 36 89079 Ulm
- Information department: Associations & Management Systems stefan.priggemeyer@wieland.com
- **Telephone number:** +49 731 944 2794 (Monday Friday from 9 a.m. to 4 p.m.)

2 Hazard(s) identification

- Classification of the substance or mixture: The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements:
- · GHS label elements Void
- · Hazard pictograms: Void
- Signal word: Void
- · Hazard statements: Void
- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable to metals.
- · **vPvB:** Not applicable to metals.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Metal in massive form.
- Material Code (CEN/TS 13388): CuCr1Zr
- · Material number (CEN/TS 13388): CW106C
- · UNS-number: C18200
- · Information:

The classifications listed below reflect the classification of the relevant alloying constituents and are only for information.

Mentioned percentages are references values.

Al	loy	com	pon	ents:

7440-50-8 copper

7440-47-3 chromium

Balance% 0.5-1.2% (Contd. on page 2)



(Contd. of page 1)

0.03-0.3%

max. 0.04%

max. 0.05%

Page 2/8

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/28/2022

Version - No. 8

Reviewed on 04/28/2022

Trade name: Wieland-KA8

4 First-aid measures

· Description of first aid measures

• General information:

First Aid information refer to any dust which is generated.

The mixture in solid form does not pose any significant health hazard. However, melting or activites which produce metal dust, smoke or fumes can cause that metal dust enter the body in harmful amounts.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • **After swallowing:** Rinse out mouth and then drink plenty of water.

- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Non-flammable. Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions: Not required.
- **Methods and material for containment and cleaning up:** Collect the material and if necessary dispose it as waste according to section 13.

(Contd. on page 3)

s-



(Contd. of page 2)

Page 3/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022

Version - No. 8

Reviewed on 04/28/2022

Trade name: Wieland-KA8

· Reference to other sections:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Further information about storage conditions: Store in dry conditions.
- Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7. · Control parameters · Components with limit values that require monitoring at the workplace: 7440-50-8 copper PEL Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume REL Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume TLV Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume; as Cu 7440-47-3 chromium PEL Long-term value: 1 mg/m³ REL Long-term value: 0.5* mg/m³ *metal+inorg.compds.as Cr;See Pocket Guide App. C TLV Long-term value: 0.5 mg/m³ 7439-92-1 lead PEL Long-term value: 0.05* mg/m³ *see 29 CFR 1910.1025 REL Long-term value: 0.05* mg/m³ *8-hr TWA ;See PocketGuide App.C TLV Long-term value: 0.05* mg/m³ *and inorganic compds., as Pb; BEI, A3 (Contd. on page 4)

wieland

Page 4/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022

Version - No. 8

Reviewed on 04/28/2022

Trade name: Wieland-KA8

	(Contd. of page			
Ingredients with biological limit value	9S:			
7439-92-1 lead				
BEI 200 μg/L				
Medium: blood				
Time: not critical				
Parameter: Lead				
Additional information: The lists that v	vere valid during the creation were used as basis.			
Exposure controls				
Personal protective equipment:				
General protective and hygienic meas				
Keep away from foodstuffs, beverages a				
Wash hands before breaks and at the e	nd of work.			
Store protective clothing separately.				
Do not inhale dust / smoke / mist.				
	ndustrial gas mask when work-place-limits are exceeded.			
Protection of hands:				
	epending upon how the semis are further processed (materia			
gloves: neoprene or leather).				
Eye protection:				
Protective goggles are recommended, depending upon how the semis are further processed.				
Body protection:				
	adian upon how the equate are further presented			
	nding upon how the semis are further processed.			
	nding upon how the semis are further processed.			
Wear suitable protective clothing, deper				
Wear suitable protective clothing, dependent of the suitable protective	ies			
Wear suitable protective clothing, depen Physical and chemical propertion Information on basic physical and ch	ies			
Wear suitable protective clothing, depen Physical and chemical properti Information on basic physical and ch General Information	ies			
Wear suitable protective clothing, depen Physical and chemical properties Information on basic physical and che General Information Appearance:	ies nemical properties			
Wear suitable protective clothing, depen Physical and chemical properti Information on basic physical and ch General Information Appearance: Form:	ies nemical properties Solid			
Wear suitable protective clothing, depen Physical and chemical properties Information on basic physical and che General Information Appearance:	ies emical properties Solid Copper red			
Wear suitable protective clothing, depen Physical and chemical properti Information on basic physical and ch General Information Appearance: Form:	ies nemical properties Solid			
Wear suitable protective clothing, depen Physical and chemical properties Information on basic physical and che General Information Appearance: Form: Color:	ies emical properties Solid Copper red			
Wear suitable protective clothing, deper Physical and chemical properti Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor threshold:	ies emical properties Solid Copper red Odorless			
Wear suitable protective clothing, depen Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold: Change in condition	ies solid Copper red Odorless Not determined.			
Wear suitable protective clothing, deper Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold: Change in condition Melting point/Melting range:	ies Solid Copper red Odorless Not determined. 1070-1080 °C (1958-1976 °F)			
Wear suitable protective clothing, deper Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold: Change in condition Melting point/Melting range: Boiling point/Boiling range:	ies Solid Copper red Odorless Not determined. 1070-1080 °C (1958-1976 °F) Undetermined.			
Wear suitable protective clothing, deper Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor: Odor threshold: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	ies Solid Copper red Odorless Not determined. 1070-1080 °C (1958-1976 °F) Undetermined. Not applicable.			
Wear suitable protective clothing, deper Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor: Odor threshold: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Danger of explosion:	ies Solid Copper red Odorless Not determined. 1070-1080 °C (1958-1976 °F) Undetermined. Not applicable. Product does not present an explosion hazard.			
Wear suitable protective clothing, deper Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Danger of explosion: Density at 20 °C (68 °F):	ies Solid Copper red Odorless Not determined. 1070-1080 °C (1958-1976 °F) Undetermined. Not applicable. Product does not present an explosion hazard. 8.9 g/cm³ (74.2705 lbs/gal)			
Wear suitable protective clothing, deper Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Danger of explosion: Density at 20 °C (68 °F): Solubility in / Miscibility with water at	ies Solid Copper red Odorless Not determined. 1070-1080 °C (1958-1976 °F) Undetermined. Not applicable. Product does not present an explosion hazard. 8.9 g/cm³ (74.2705 lbs/gal) t 20 °C (68			
Wear suitable protective clothing, deper Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Danger of explosion: Density at 20 °C (68 °F): Solubility in / Miscibility with water at °F):	ies Solid Copper red Odorless Not determined. 1070-1080 °C (1958-1976 °F) Undetermined. Not applicable. Product does not present an explosion hazard. 8.9 g/cm³ (74.2705 lbs/gal)			
Wear suitable protective clothing, deper Physical and chemical properti Information on basic physical and che General Information Appearance: Form: Color: Odor: Odor threshold: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Danger of explosion: Density at 20 °C (68 °F): Solubility in / Miscibility with water at °F): Solvent separation test	ies Solid Copper red Odorless Not determined. 1070-1080 °C (1958-1976 °F) Undetermined. Not applicable. Product does not present an explosion hazard. 8.9 g/cm ³ (74.2705 lbs/gal) t 20 °C (68 Not soluble.			
Wear suitable protective clothing, deper Physical and chemical properti Information on basic physical and ch General Information Appearance: Form: Color: Odor: Odor: Odor threshold: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Danger of explosion: Density at 20 °C (68 °F): Solubility in / Miscibility with water at °F):	ies Solid Copper red Odorless Not determined. 1070-1080 °C (1958-1976 °F) Undetermined. Not applicable. Product does not present an explosion hazard. 8.9 g/cm³ (74.2705 lbs/gal) t 20 °C (68			

wieland

(Contd. of page 4)

Page 5/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022

Version - No. 8

Reviewed on 04/28/2022

Trade name: Wieland-KA8

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity: Not applicable.
- · Chemical stability: Not applicable.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information: When used and handled according to specifications, the article does not have any harmful effects to our experience and the information provided to us.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

7440-47-3 chromium: 3 7439-92-1 lead: 2B 7440-02-0 nickel: 2B

- <u>NTP (National Toxicology Program)</u> 7439-92-1 lead: R 7440-02-0 nickel: R
- · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

• Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

US ·



(Contd. of page 5)

Page 6/8

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/28/2022

Version - No. 8

Reviewed on 04/28/2022

Trade name: Wieland-KA8

· Persistence and degradability: No further relevant information available.

- Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable to metals.
- · **vPvB:** Not applicable to metals.
- · Other adverse effects: No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- **Recommendation:** Contact manufacturer for recycling information.

14 Transport information · UN-Number · DOT, ADR, IMDG, IATA Void · UN proper shipping name DOT, ADR, IMDG, IATA Void Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class Void · Packing group · DOT, ADR, IMDG, IATA Void · Environmental hazards: Not applicable. · Special precautions for user: Not applicable. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 7)

⁻ US -



Page 7/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022

Version - No. 8

Reviewed on 04/28/2022

Trade name: Wieland-KA8

Section 313 (Specific toxic chemical listings):				
7440-50-8 copper				
7440-47-3 chromium				
7439-92-1 lead				
7440-02-0 nickel				
TSCA (Toxic Substances Control Act):				
7440-50-8 copper: ACTIVE				
7440-47-3 chromium: ACTIVE				
7439-92-1 lead: ACTIVE				
7440-02-0 nickel: ACTIVE				
Hazardous Air Pollutants:				
7439-92-1 lead				
Proposition 65 Chemicals known to cause cancer:				
7439-92-1 lead				
7440-02-0 nickel				
Chemicals known to cause reproductive toxicity for females:				
7439-92-1 lead				
Chemicals known to cause reproductive toxicity for males:				
7439-92-1 lead				
Chemicals known to cause developmental toxicity: 7439-92-1 lead				
Cancerogenity categories				
EPA (Environmental Protection Agency):				
7440-50-8 copper: D 7440-47-3 chromium: D				
7439-92-1 lead: B2				
TLV (Threshold Limit Value established by ACGIH):				
7440-47-3 chromium: A4				
7439-92-1 lead: A3				
7440-02-0 nickel: A5				
NIOSH-Ca (National Institute for Occupational Safety and Health):				
7440-02-0 nickel				
Chemical safety assessment: Void.				

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific article features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

⁻ US -



(Contd. of page 7)

US

Page 8/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022

Version - No. 8

Reviewed on 04/28/2022

Trade name: Wieland-KA8

· Department issuing SDS: Associations & Management Systems

· Contact:

Dr. Stefan Priggemeyer

Email: stefan.priggemeyer@wieland.com

• * Data compared to the previous version altered.