

Page 1/8

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/26/2022

Version - No. 5

Reviewed on 04/26/2022

1 Identification

· Product identifier

- · Trade name: Wieland-K66
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the article: Semi-finished product
- · Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Wieland-Werke AG Graf-Arco-Str. 36 89079 Ulm
- Information department: Associations & Management Systems stefan.priggemeyer@wieland.com
- **Telephone number:** +49 731 944 2794 (Monday Friday from 9 a.m. to 4 p.m.)

2 Hazard(s) identification

- Classification of the substance or mixture: The product is not classified, according to the Globally Harmonized System (GHS).
- · Label elements:
- · GHS label elements Void
- · Hazard pictograms: Void
- Signal word: Void
- · Hazard statements: Void
- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable to metals.
- · **vPvB:** Not applicable to metals.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Metal in massive form.
- · Material Code (CEN/TS 13388): CuCr1
- Material number (CEN/TS 13388): CW105C
- · UNS-number: C18200
- · Information:

The classifications listed below reflect the classification of the relevant alloying constituents and are only for information.

Mentioned percentages are references values.

A	lloy	com	ponen	ts:

7440-50-8 copper

7440-47-3 chromium

Balance% 0.5-1.2% (Contd. on page 2)



(Contd. of page 1)

max. 0.04%

max. 0.05%

Page 2/8

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/26/2022

Version - No. 5

Reviewed on 04/26/2022

Trade name: Wieland-K66

7440-02-0 nickel

🚸 Carc. 2, H351; STOT RE 1, H372; 🚸 Skin Sens. 1, H317

7439-92-1 lead

🚸 Carc. 2, H351; Repr. 1A, H360

4 First-aid measures

· Description of first aid measures

· General information:

First Aid information refer to any dust which is generated.

The mixture in solid form does not pose any significant health hazard. However, melting or activites which produce metal dust, smoke or fumes can cause that metal dust enter the body in harmful amounts.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • **After swallowing:** Rinse out mouth and then drink plenty of water.

- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Non-flammable. Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions: Not required.
- **Methods and material for containment and cleaning up:** Collect the material and if necessary dispose it as waste according to section 13.
- **Reference to other sections:** See Section 7 for information on safe handling.

(Contd. on page 3)

US



Page 3/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/26/2022

Version - No. 5

Reviewed on 04/26/2022

Trade name: Wieland-K66

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Further information about storage conditions: Store in dry conditions.

• Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- Control parameters
- Components with limit values that require monitoring at the workplace:

7440-50-8 copper

PEL Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume

- REL Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume
- TLV Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume; as Cu

7440-47-3 chromium

PEL Long-term value: 1 mg/m³

REL Long-term value: 0.5* mg/m³ *metal+inorg.compds.as Cr;See Pocket Guide App. C

TLV Long-term value: 0.003* 0.5** mg/m³ inh. fraction, *as Cr(III): A4,**metal

7439-92-1 lead

- PEL Long-term value: 0.05* mg/m³ *see 29 CFR 1910.1025
- REL Long-term value: 0.05* mg/m³ *8-hr TWA ;See PocketGuide App.C
- TLV Long-term value: 0.05* mg/m³ *and inorganic compds., as Pb; BEI, A3

(Contd. on page 4)

(Contd. of page 2)

Г

Page 4/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/26/2022

Version - No. 5

Reviewed on 04/26/2022

Trade name: Wieland-K66

	(Contd. of page
· Ingredients with biological limit values:	
7440-47-3 chromium	
BEI 0.7 µg/L	
Medium: urine Time: end of shift at end of workweek	
Parameter: Total chromium (population	n based)
7439-92-1 lead	in based)
BEI 200 µg/L	
Medium: blood	
Time: not critical	
Parameter: Lead	
· Additional information: The lists that wer	e valid during the creation were used as basis.
· Exposure controls	
Personal protective equipment:	
General protective and hygienic measure	
Keep away from foodstuffs, beverages and	
Wash hands before breaks and at the end	of work.
Store protective clothing separately. Do not inhale dust / smoke / mist.	
	ustrial gas mask when work-place-limits are exceeded.
· Protection of hands:	
	nding upon how the semis are further processed (material o
gloves: neoprene or leather).	
· Eye protection:	
	pending upon how the semis are further processed.
• Body protection:	ng upon how the comic are further proceeded
	ng upon how the semis are further processed.
Physical and chemical properties	
· Information on basic physical and chem	
 Information on basic physical and chem General Information 	
 Information on basic physical and chem General Information Appearance: 	nical properties
 Information on basic physical and chem General Information 	nical properties
 Information on basic physical and chem General Information Appearance: Form: 	nical properties
 Information on basic physical and chem General Information Appearance: Form: Color: 	nical properties Solid Copper red
 Information on basic physical and chem General Information Appearance: Form: Color: Odor: 	nical properties Solid Copper red Odorless
 Information on basic physical and chem General Information Appearance: Form: Color: Odor: Odor threshold: 	nical properties Solid Copper red Odorless
 Information on basic physical and chem General Information Appearance: Form: Color: Odor: Odor: Odor threshold: Change in condition Melting point/Melting range: Boiling point/Boiling range: 	nical properties Solid Copper red Odorless Not determined.
 Information on basic physical and chem General Information Appearance: Form: Color: Odor: Odor: Odor threshold: Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: 	hical properties Solid Copper red Odorless Not determined. 1070-1075 °C (1958-1967 °F) Undetermined. Not applicable.
 Information on basic physical and chem General Information Appearance: Form: Color: Odor: Odor: Odor threshold: Change in condition Melting point/Melting range: Boiling point/Boiling range: 	nical properties Solid Copper red Odorless Not determined. 1070-1075 °C (1958-1967 °F) Undetermined.

(Contd. on page 5)

⁻ US -



(Contd. of page 4)

Page 5/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/26/2022

Version - No. 5

Reviewed on 04/26/2022

Trade name: Wieland-K66

	(Conta. of page
 Solubility in / Miscibility with wate 	er at 20 °C (68
°F):	Not soluble
· Solvent separation test	
VOC content:	0.00 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity: Not applicable.
- · Chemical stability: Not applicable.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Acute toxicity:

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

· Additional toxicological information:

When used and handled according to specifications, the article does not have any harmful effects to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7440-47-3 chromium: 3 7439-92-1 lead: 2B 7440-02-0 nickel: 2B

· NTP (National Toxicology Program)

7439-92-1 lead: R 7440-02-0 nickel: R

(Contd. on page 6)

US

(Contd. of page 5)

Page 6/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/26/2022

Version - No. 5

Reviewed on 04/26/2022

Trade name: Wieland-K66

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Aquatic toxicity: No further relevant information available.

- Persistence and degradability: No further relevant information available.
- Behavior in environmental systems
- · Bioaccumulative potential: No further relevant information available.
- Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable to metals.
- · **vPvB:** Not applicable to metals.
- · Other adverse effects: No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation: Contact manufacturer for recycling information.

UN-Number	V-:-
· DOT, ADR, IMDG, IATA	Void
 UN proper shipping name DOT, ADR, IMDG, IATA 	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
Class	Void
· Packing group	
DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user:	Not applicable.

(Contd. on page 7)

Page 7/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/26/2022

Version - No. 5

Reviewed on 04/26/2022

Trade name: Wieland-K66

(Contd. of page 6)

15 Regulatory information

Sara
Section 355 (extremely hazardous substances):
None of the ingredients is listed. Section 313 (Specific toxic chemical listings):
All ingredients are listed.
с С
TSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
Hazardous Air Pollutants:
7439-92-1 lead
Proposition 65
Chemicals known to cause cancer:
7439-92-1 lead
7440-02-0 nickel
Chemicals known to cause reproductive toxicity for females:
7439-92-1 lead Chemicals known to cause reproductive toxicity for males:
7439-92-1 lead
Chemicals known to cause developmental toxicity:
7439-92-1 lead
Cancerogenity categories
EPA (Environmental Protection Agency):
7440-50-8 copper: D
7440-47-3 chromium: D
7439-92-1 lead: B2
TLV (Threshold Limit Value established by ACGIH):
7440-47-3 chromium: A4
7439-92-1 lead: A3
7440-02-0 nickel: A5
NIOSH-Ca (National Institute for Occupational Safety and Health):
7440-02-0 nickel
Chemical safety assessment: Void.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific article features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Associations & Management Systems

(Contd. on page 8)

[–] US –

(Contd. of page 7)

119

Page 8/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/26/2022

Version - No. 5

Reviewed on 04/26/2022

Trade name: Wieland-K66

· Contact:

Dr. Stefan Priggemeyer

Email: stefan.priggemeyer@wieland.com
** Data compared to the previous version altered.