

Page 1/9

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/28/2022

Version - No. 9

Reviewed on 02/28/2022

1 Identification

- 1.1 Product identifier
- Trade name: Wieland-S37
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the article: Semi-finished product
- · 1.3 Details of the supplier of the safety data sheet
- **Manufacturer/Supplier:** Wieland-Werke AG Graf-Arco-Str. 36 89079 Ulm
- Information department: Associations & Management Systems stefan.priggemeyer@wieland.com
- **1.4 Telephone number:** +49 731 944 2794 (Monday Friday from 9 a.m. to 4 p.m.)

2 Hazard(s) identification

2.1 Classification of the substance or mixture:

· Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation):



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.

Repr. 1A H360 May damage fertility or the unborn child.

- · 2.2 Label elements:
- Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labeled according to the CLP regulation.

- · Hazard pictograms: GHS08
- · Signal word: Danger
- · Hazard statements:

H351 Suspected of causing cancer. Route of exposure: Inhalation. H360 May damage fertility or the unborn child.

· Precautionary statements

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable to metals.

(Contd. on page 2)

ÚS

Page 2/9

Safety Data Sheet acc. to OSHA HCS

Printing date 02/28/2022

Version - No. 9

Reviewed on 02/28/2022

Trade name: Wieland-S37

· **vPvB:** Not applicable to metals.

(Contd. of page 1)

 3.2 Chemical charac Description: Metal in Material Code (CEN/ Material number (CE UNS-number: - Information: The classifications list for information. Mentioned percentage 		ents and are only
 Alloy components: CAS: 7440-50-8 EINECS: 231-159-6 RTECS: GL 5325000 	copper	59.0-61.5%
CAS: 7440-66-6 EINECS: 231-175-3 RTECS: ZG 8600000	zinc	Balance%
CAS: 7439-96-5 EINECS: 231-105-1 RTECS: OO 9275000	manganese	0.6-1.8%
CAS: 7429-90-5 EINECS: 231-072-3 RTECS: BD 0330000	Aluminium	0.3-1.3%
CAS: 7439-92-1 EINECS: 231-100-4 RTECS: OF 7525000	lead I Carc. 2, H351; Repr. 1A, H360	0-1.0%
CAS: 7440-02-0 EINECS: 231-111-4	nickel � Carc. 2, H351; STOT RE 1, H372; � Skin Sens. 1, H317	max. 0.6%

4 First-aid measures

· 4.1 Description of first aid measures

• General information:

First Aid information refer to any dust which is generated.

The mixture in solid form does not pose any significant health hazard. However, melting or activites which produce metal dust, smoke or fumes can cause that metal dust enter the body in harmful amounts.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

[·]US



Page 3/9

Safety Data Sheet acc. to OSHA HCS

Printing date 02/28/2022

Version - No. 9

Reviewed on 02/28/2022

Trade name: Wieland-S37

· After eye contact:

(Contd. of page 2)

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • **After swallowing:** Rinse out mouth and then drink plenty of water.

- **4.2 Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

5 Fire-fighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Non-flammable. Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- · 6.2 Environmental precautions: Not required
- **6.3 Methods and material for containment and cleaning up:** Collect the material and if necessary dispose it as waste according to section 13.
- **6.4 Reference to other sections:** See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · 7.1 Precautions for safe handling: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Further information about storage conditions: Store in dry conditions.
- 7.3 Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

· 8.1 Control parameters

Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

Page 4/9

Safety Data Sheet acc. to OSHA HCS

Printing date 02/28/2022

Version - No. 9

Reviewed on 02/28/2022

Trade name: Wieland-S37

Components with limit values that require monitoring at the workplace:	(Contd. of page
7440-50-8 copper	
PEL Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume	
REL Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume	
TLV Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume; as Cu	
7439-96-5 manganese	
PEL Ceiling limit value: 5 mg/m³ as Mn	
REL Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ fume, as Mn	
TLV Long-term value: 0.02* 0.1** mg/m ³ as Mn; A4, *respirable **inhalable fraction	
7429-90-5 Aluminium	
PEL Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction	
REL Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.	
TLV Long-term value: 1* mg/m³ as Al; *as respirable fraction, A4	
7439-92-1 lead	
PEL Long-term value: 0.05* mg/m³ *see 29 CFR 1910.1025	
REL Long-term value: 0.05* mg/m³ *8-hr TWA ;See PocketGuide App.C	
TLV Long-term value: 0.05* mg/m³ *and inorganic compds., as Pb; BEI, A3	
7440-02-0 nickel	
PEL Long-term value: 1 mg/m³	
REL Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A	
TLV Long-term value: 1.5* mg/m³ elemental, *inhalable fraction, A5, BEI	
Ingredients with biological limit values:	
7439-92-1 lead	
BEI 200 μg/L Medium: blood	
Time: not critical	
Parameter: Lead	(Contd. on page

(Contd. of page 4)

Page 5/9

Safety Data Sheet acc. to OSHA HCS

Printing date 02/28/2022

Version - No. 9

Reviewed on 02/28/2022

Trade name: Wieland-S37

7440-02-0 nickel

BEI 5 μg/L Medium: urine Time: post-shift at end of workweek Parameter: Nickel (background)

> 30 µg/L Medium: urine Time: post-shift at end of workweek Parameter: Nickel (background)

• Additional information: The lists that were valid during the creation were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Store protective clothing separately. Do not inhale dust / smoke / mist.
- Breathing equipment: Use a suitable industrial gas mask when work-place-limits are exceeded.
- Protection of hands:

Protective gloves are recommended, depending upon how the semis are further processed (material of gloves: neoprene or leather).

· Eye protection:

Protective goggles are recommended, depending upon how the semis are further processed.

Body protection:

Wear suitable protective clothing, depending upon how the semis are further processed.

General Information Appearance:	
Form:	Solid
Color:	Metallic yellow
Odor:	Odorless
Odor threshold:	Not determined.
Change in condition	
Melting point/Melting range:	860-910 °C (1580-1670 °F)
Boiling point/Boiling range:	Undetermined.
Flash point:	Not applicable.
Danger of explosion:	Product does not present an explosion hazard.
Density at 20 °C (68 °F):	8.24 g/cm³ (68.7628 lbs/gal)



(Contd. of page 5)

Page 6/9

Safety Data Sheet acc. to OSHA HCS

Printing date 02/28/2022

Version - No. 9

Reviewed on 02/28/2022

Trade name: Wieland-S37

• Solvent separation test VOC content:

0.00 %

· 9.2 Other information

No further relevant information available.

10 Stability and reactivity

- **10.1 Reactivity:** Not applicable.
- · 10.2 Chemical stability: Not applicable.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity: Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- on the skin: Based on available data, the classification criteria are not met.
- · on the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.
- Additional toxicological information: When used and handled according to specifications, the article does not have any harmful effects to our experience and the information provided to us.
- · Carcinogenic categories
- IARC (International Agency for Research on Cancer) 7439-92-1 lead: 2B

7440-02-0 nickel: 2B

· NTP (National Toxicology Program)

7439-92-1 lead: R 7440-02-0 nickel: R

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

Page 7/9

Safety Data Sheet acc. to OSHA HCS

Printing date 02/28/2022

Version - No. 9

Reviewed on 02/28/2022

Trade name: Wieland-S37

(Contd. of page 6)

12 Ecological information

• **12.1 Aquatic toxicity:** No further relevant information available.

· 12.2 Persistence and degradability: No further relevant information available.

• **12.3 Bioaccumulative potential:** No further relevant information available.

• 12.4 Mobility in soil: No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable to metals.
- · **vPvB:** Not applicable to metals.

· 12.6 Other adverse effects: No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Contact manufacturer for recycling information.

14.1 UN-Number	
DOT, ADR, IMDG, IATA	Void
14.2 UN proper shipping name	N/ · · ·
DOT, ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
DOT, ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user:	Not applicable.

(Contd. on page 8)



Page 8/9

Safety Data Sheet acc. to OSHA HCS

Printing date 02/28/2022

Version - No. 9

Reviewed on 02/28/2022

Trade name: Wieland-S37

(Contd. of page 7)

15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

•	Sara
---	------

None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
All ingredients are listed.	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
Hazardous Air Pollutants:	
7439-96-5 manganese	
7439-92-1 lead	
Proposition 65	
Chemicals known to cause cancer:	
7439-92-1 lead	
7440-02-0 nickel	
Chemicals known to cause reproductive toxicity for females: 7439-92-1 lead	
Chemicals known to cause reproductive toxicity for males:	
7439-92-1 lead	
Chemicals known to cause developmental toxicity:	
7439-92-1 lead	
Cancerogenity categories EPA (Environmental Protection Agency):	
7440-50-8 copper: D	
7440-66-6 zinc: D, I, II	
7439-96-5 manganese: D	
7439-92-1 lead: B2	
TLV (Threshold Limit Value established by ACGIH):	
7429-90-5 Aluminium: A4	
7439-92-1 lead: A3	
7440-02-0 nickel: A5	
NIOSH-Ca (National Institute for Occupational Safety and Health):	
7440-02-0 nickel	
Chemical safety assessment: Void.	

(Contd. on page 9)



Page 9/9

Safety Data Sheet acc. to OSHA HCS

Printing date 02/28/2022

Version - No. 9

Reviewed on 02/28/2022

Trade name: Wieland-S37

(Contd. of page 8)

JS

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific article features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Associations & Management Systems
- · Contact:

Dr. Stefan Priggemeyer

Email: stefan.priggemeyer@wieland.com

* Data compared to the previous version altered.