

Version - No. 2



1 Identification

· 1.1 Product identifier

Trade name: Wieland A02

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Application of the substance / the preparation: Semi-finished product

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Wieland-Werke AG
Graf-Arco-Straße 36
89079 Ulm (Germany)
Tel.: +49 (0)731/944-0
Fax: +49 (0)731/944-2799

- Information department: Department testing laboratories michael.ebner@wieland.de
- **1.4 Emergency telephone number:** Factory security offices Phone: +49 (0) 731-944-3706

2 Hazard(s) identification

\cdot 2.1 Classification of the substance or mixture

 Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): For products there is no obligation to classify acc. to CLP -Regulation. The product is not classified according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008: Void
- · Hazard pictograms: Void
- Signal word: Void
- · Hazard-determining components of labeling: Void
- · Hazard statements: Void
- · 2.3 Other hazards

Semi-finished products from aluminium or aluminium-alloys, as offered for sale as manufactured present no health hazard to man or for the aquatic environment.

- · Results of PBT and vPvB assessment
- PBT: Not applicable to metals
- · vPvB: Not applicable to metals.

3 Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

- · Description: Metal in compact form.
- Information:

The classifications mentioned below reflect the respective pure substance and are for information only.

Aluminium alloys are special preparations according to Regulation (EC) 1907/2006 (REACH Regulation).

The classification of a pure substance is not applicable to its use as element of a aluminium alloy. (Contd. on page 2)

-yu 2)



Version - No. 2

Trade name: Wieland A02

Printing date 09/11/2017

		(Contd. of page 1)
Components:		
CAS: 7429-90-5 EINECS: 231-072-3 RTECS: BD 0330000	aluminium	balance%
CAS: 7440-50-8 EINECS: 231-159-6 RTECS: GL 5325000	copper	5.0-6.0%
CAS: 7440-69-9 EINECS: 231-177-4 RTECS: EB 2600000	bismuth	0.20-0.6%
CAS: 7439-92-1 EINECS: 231-100-4 RTECS: OF 7525000	lead	0.20-0.6%

4 First-aid measures

· 4.1 Description of first aid measures

- · General information:
- No special measures required.
- First Aid information refer to any dust which is generated.
- After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

5 Fire-fighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents:
 - The semi -finished product is not combustible in the form in which it is supplied. A fire caused by aluminium powder and swarf must only be tackled with dry sand or Class D fire extinguishing agents approved for this purpose.
- \cdot 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- Protective equipment:

If necessary, protective clothing and respiratory protection masks should be worn. The local fire brigade can advise you on risks and fire fighting.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures: Not required.

· 6.2 Environmental precautions: Not required

• 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.

(Contd. on page 3)

⁻ US -



Printing date 09/11/2017

Version - No. 2

Trade name: Wieland A02

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

• 7.1 Precautions for safe handling: No special measures required.

Open and handle receptacle with care.

· Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Further information about storage conditions: None.

• 7.3 Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

7429-90-5 aluminium

PEL Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction

- REL Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.
- TLV Long-term value: 1* mg/m³ as Al; *as respirable fraction

7440-50-8 copper

- PEL Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume
- REL Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume
- TLV Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume; as Cu

· Additional information: The lists that were valid during the creation were used as basis.

· 8.2 Exposure controls

- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Store protective clothing separately.
- Do not inhale dust / smoke / mist.
- Breathing equipment: Use a suitable industrial gas mask when work-place-limits are exceeded.
 Protection of hands:
- Protective gloves are recommended, depending upon how the semis are further processed. • Eye protection:

Protective goggles are recommended, depending upon how the semis are further processed.

(Contd. on page 4)

(Contd. of page 2)

Version - No. 2



Printing date 09/11/2017

Trade name: Wieland A02

Body protection:

(Contd. of page 3)

Wear suitable protective clothing, depending upon how the semis are further processed.

9 Physical and chemical properties			
 9.1 Information on basic p General Information Appearance: Form: Color: Odor: Odor threshold: 	hysical and chemical properties Solid grey to silvery grey Odorless Not determined.		
 Change in condition Melting point/Melting rang Boiling point/Boiling range 			
Flash point:	Not applicable.		
Danger of explosion:	Product does not present an explosion hazard.		
· Density at 20 ℃ (68 年):	2.83 g/cm ³ (23.616 lbs/g al) (Lit.)		
 Solubility in / Miscibility with Water: 9.2 Other information 	Not soluble. No further relevant information available.		

10 Stability and reactivity

- 10.1 Reactivity: Not applicable.
- 10.2 Chemical stability: Not applicable.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- on the skin: Based on available data, the classification criteria are not met.
- \cdot on the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- Additional toxicological information:

When used and handled according to specifications, the article does not have any harmful effects to our experience and the information provided to us.

- Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- 7439-92-1 lead
- · NTP (National Toxicology Program)
- 7439-92-1 lead

(Contd. on page 5)

2B

R

[—] US -



Printing date 09/11/2017

Version - No. 2

Trade name: Wieland A02

(Contd. of page 4)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability: No further relevant information available.
- 12.3 Bioaccumulative potential: No further relevant information available.
- 12.4 Mobility in soil: No further relevant information available.
- · Additional ecological information
- · General notes:
- Semi-finished articles from aluminium and aluminium-alloy are not soluble in water.
- \cdot 12.5 Results of PBT and vPvB assessment
- \cdot PBT: Not applicable to metals.
- · vPvB: Not applicable to metals.
- · 12.6 Other adverse effects: No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation: Contact manufacturer for recycling information.

14 Transport information	
• 14.1 UN-Number • DOT, ADR, ADN, IMDG, IATA	Void
 • 14.2 UN proper shipping name • DOT, ADR, ADN, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
 DOT, ADR, ADN, IMDG, IATA Class 	Void
 • 14.4 Packing group • DOT, ADR, IMDG, IATA 	Void
• 14.5 Environmental hazards: • Marine pollutant:	No
· 14.6 Special precautions for user:	Not applicable.
 14.7 Transport in bulk according to Ann of MARPOL73/78 and the IBC Code: 	ex II Not applicable.

15 Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 6)

[—] Us



Printing date 09/11/2017

Version - No. 2

Trade name: Wieland A02

		(Contd. of page 5
	3 (Specific toxic chemical listings):	
7429-90-5	aluminium	
7440-50-8	copper	
7439-92-1	lead	
	kic Substances Control Act):	
	ents are listed.	
 Proposition 	n 65	
Chemicals	known to cause cancer:	
7439-92-1	lead	
· Chemicals	known to cause reproductive toxicity for females:	
7439-92-1	lead	
Chemicals	known to cause reproductive toxicity for males:	
7439-92-1	lead	
Chemicals	known to cause developmental toxicity:	
7439-92-1	lead	
-	nity categories	
•	ronmental Protection Agency)	
7440-50-8		D
7439-92-1	lead	B2
• TLV (Three	shold Limit Value established by ACGIH)	
7429-90-5		A4
7439-92-1	lead	A3
	(National Institute for Occupational Safety and Health)	
	e ingredients is listed.	
Chemical s	safety assessment void.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific article features and shall not establish a legally valid contractual relationship

- · Department issuing SDS: Department testing laboratories
- Contact: Dr. Michael Ebner Phone (+)49 (0)731/944-3706
- Date of preparation / last revision 09/11/2017 / 1
- \cdot * Data compared to the previous version altered.

-US-