

## 1 Identification

- **1.1 Product identifier**
  - Trade name: **Wieland A07**
  - **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
  - Application of the substance / the preparation: Semi-finished product
- 
- **1.3 Details of the supplier of the safety data sheet**
  - Manufacturer/Supplier:  
Wieland-Werke AG  
Graf-Arco-Straße 36  
89079 Ulm (Germany)  
Tel.: +49 (0)731/944-0  
Fax: +49 (0)731/944-2799
  - Information department:  
Department testing laboratories  
michael.ebner@wieland.de
  - **1.4 Emergency telephone number:**  
Factory security offices  
Phone: +49 (0) 731-944-3706

## 2 Hazard(s) identification

- **2.1 Classification of the substance or mixture**
  - Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation):  
For products there is no obligation to classify acc. to CLP -Regulation.  
The product is not classified according to the CLP regulation.
- 
- **2.2 Label elements**
  - Labelling according to Regulation (EC) No 1272/2008: Void
  - Hazard pictograms: Void
  - Signal word: Void
  - Hazard-determining components of labeling: Void
  - Hazard statements: Void
  - **2.3 Other hazards**
  - Semi-finished products from aluminium or aluminium-alloys, as offered for sale as manufactured present no health hazard to man or for the aquatic environment.
  - Results of PBT and vPvB assessment
  - PBT: Not applicable to metals
  - vPvB: Not applicable to metals.

## 3 Composition/information on ingredients

- **3.2 Chemical characterization: Mixtures**
- Description: Metal in compact form.
- Information:  
The classifications mentioned below reflect the respective pure substance and are for information only.  
Aluminium alloys are special preparations according to Regulation (EC) 1907/2006 (REACH Regulation).  
The classification of a pure substance is not applicable to its use as element of a aluminium alloy.

(Contd. on page 2)

Trade name: **Wieland A07**

(Contd. of page 1)

· Components:		
CAS: 7429-90-5 EINECS: 231-072-3 RTECS: BD 0330000	aluminium	balance%
CAS: 7440-50-8 EINECS: 231-159-6 RTECS: GL 5325000	copper	1.2-2.0%
CAS: 7440-66-6 EINECS: 231-175-3 RTECS: ZG 8600000	zinc	5.1-6.1%
CAS: 7439-95-4 EINECS: 231-104-6 RTECS: OM 2100000	magnesium	2.1-2.9%
CAS: 7440-47-3 EINECS: 231-157-5 RTECS: GB 4200000	chromium	0.18-0.28%

#### 4 First-aid measures

##### · 4.1 Description of first aid measures

###### · General information:

No special measures required.

First Aid information refer to any dust which is generated.

###### · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

###### · After skin contact: Immediately wash with water and soap and rinse thoroughly.

###### · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

###### · After swallowing: Rinse out mouth and then drink plenty of water.

##### · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

##### · 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

#### 5 Fire-fighting measures

##### · 5.1 Extinguishing media

###### · Suitable extinguishing agents:

The semi -finished product is not combustible in the form in which it is supplied.

A fire caused by aluminium powder and swarf must only be tackled with dry sand or Class D fire extinguishing agents approved for this purpose.

##### · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

##### · 5.3 Advice for firefighters

###### · Protective equipment:

If necessary, protective clothing and respiratory protection masks should be worn.

The local fire brigade can advise you on risks and fire fighting.

#### 6 Accidental release measures

##### · 6.1 Personal precautions, protective equipment and emergency procedures: Not required.

##### · 6.2 Environmental precautions: Not required

(Contd. on page 3)

Trade name: **Wieland A07**

(Contd. of page 2)

- **6.3 Methods and material for containment and cleaning up:**  
Dispose of the collected material according to regulations.
- **6.4 Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **7.1 Precautions for safe handling:** No special measures required.  
Information about protection against explosions and fires: No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**  
Storage:  
Requirements to be met by storerooms and receptacles: No special requirements.  
Further information about storage conditions:  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s):** No further relevant information available.

## 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

### 8.1 Control parameters

- Components with limit values that require monitoring at the workplace:

#### 7429-90-5 aluminium

PEL	Long-term value: 15* <sup>*</sup> ; 5** <sup>**</sup> mg/m <sup>3</sup> *Total dust; ** Respirable fraction
REL	Long-term value: 10* 5** <sup>**</sup> mg/m <sup>3</sup> as Al*Total dust**Respirable/pyro powd./welding f.
TLV	Long-term value: 1* mg/m <sup>3</sup> as Al; *as respirable fraction

#### 7440-50-8 copper

PEL	Long-term value: 1* 0.1** <sup>**</sup> mg/m <sup>3</sup> as Cu *dusts and mists **fume
REL	Long-term value: 1* 0.1** <sup>**</sup> mg/m <sup>3</sup> as Cu *dusts and mists **fume
TLV	Long-term value: 1* 0.2** <sup>**</sup> mg/m <sup>3</sup> *dusts and mists; **fume; as Cu

- Additional Occupational Exposure Limit Values for possible hazards during processing:

#### 1314-13-2 zinc oxide

PEL	Long-term value: 15* 5** <sup>**</sup> mg/m <sup>3</sup> *total dust **respirable fraction and fume
REL	Short-term value: 10** <sup>**</sup> mg/m <sup>3</sup> Long-term value: 5 mg/m <sup>3</sup> Ceiling limit value: 15* mg/m <sup>3</sup> *dust only **fume
TLV	Short-term value: 10* mg/m <sup>3</sup> Long-term value: 2* mg/m <sup>3</sup> *as respirable fraction

- Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Trade name: **Wieland A07**

(Contd. of page 3)

- **8.2 Exposure controls**
- Personal protective equipment:
- General protective and hygienic measures:  
Wash hands before breaks and at the end of work.  
Do not inhale dust / smoke / mist.
- Breathing equipment: Use a suitable industrial gas mask when work-place-limits are exceeded.
- Protection of hands:  
Protective gloves are recommended, depending upon how the semis are further processed.
- Eye protection:  
Protective goggles are recommended, depending upon how the semis are further processed.
- Body protection:  
Wear suitable protective clothing, depending upon how the semis are further processed.

## 9 Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

- General Information
- Appearance:
 

Form:	Solid
Color:	grey to silvery grey
- Odor: Odorless
- Odor threshold: Not determined.
- Change in condition
 

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	907 °C (1665 °F)
- Flash point: Not applicable.
- Danger of explosion: Product does not present an explosion hazard.
- Density at 20 °C (68 °F): 2.8 g/cm<sup>3</sup> (23.366 lbs/ga l) (Lit.)
- Solubility in / Miscibility with
 

Water:	Not soluble.
--------	--------------
- **9.2 Other information** No further relevant information available.

## 10 Stability and reactivity

- **10.1 Reactivity:** Not applicable.
- **10.2 Chemical stability:** Not applicable.
- Thermal decomposition / conditions to be avoided:  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions:** No dangerous reactions known.
- **10.4 Conditions to avoid:** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **11.1 Information on toxicological effects**
- Acute toxicity: Based on available data, the classification criteria are not met.
- Primary irritant effect:
  - on the skin: Based on available data, the classification criteria are not met.
  - on the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.

(Contd. on page 5)

Trade name: **Wieland A07**

(Contd. of page 4)

- Additional toxicological information:  
When used and handled according to specifications, the article does not have any harmful effects to our experience and the information provided to us.

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

7440-47-3 chromium

3

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- **12.1 Toxicity**
- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- Ecotoxicological effects:
- Remark: Toxic for fish
- Additional ecological information
- General notes:  
Semi-finished articles from aluminium and aluminium-alloy are not soluble in water.  
Toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- PBT: Not applicable to metals.
- vPvB: Not applicable to metals.
- **12.6 Other adverse effects:** No further relevant information available.

## 13 Disposal considerations

- **13.1 Waste treatment methods**
- Recommendation: Contact manufacturer for recycling information.

## 14 Transport information

- |  |      |
|--|------|
| · <b>14.1 UN-Number</b>                  |      |
| · DOT, ADR, ADN, IMDG, IATA              | Void |
| · <b>14.2 UN proper shipping name</b>    |      |
| · DOT, ADR, ADN, IMDG, IATA              | Void |
| · <b>14.3 Transport hazard class(es)</b> |      |
| · DOT, ADR, ADN, IMDG, IATA              |      |
| · Class                                  | Void |
| · <b>14.4 Packing group</b>              |      |
| · DOT, ADR, IMDG, IATA                   | Void |
| · <b>14.5 Environmental hazards:</b>     |      |
| · Marine pollutant:                      | No   |

(Contd. on page 6)

US

Trade name: **Wieland A07**

(Contd. of page 5)

· <b>14.6 Special precautions for user:</b>	Not applicable.
---	-----------------

· <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b>	Not applicable.
--	-----------------

## 15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Sara

- Section 355 (extremely hazardous substances):

None of the ingredients is listed.
------------------------------------

- Section 313 (Specific toxic chemical listings):

7429-90-5	aluminium
-----------	-----------

7440-66-6	zinc
-----------	------

7440-50-8	copper
-----------	--------

7440-47-3	chromium
-----------	----------

- TSCA (Toxic Substances Control Act):

All ingredients are listed.
-----------------------------

- Proposition 65

- Chemicals known to cause cancer:

None of the ingredients is listed.
------------------------------------

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.
------------------------------------

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.
------------------------------------

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.
------------------------------------

- Cancerogenity categories

- EPA (Environmental Protection Agency)

7440-66-6	zinc	D, I, II
-----------	------	----------

7440-50-8	copper	D
-----------	--------	---

7440-47-3	chromium	D
-----------	----------	---

- TLV (Threshold Limit Value established by ACGIH)

7429-90-5	aluminium	A4
-----------	-----------	----

7440-47-3	chromium	A4
-----------	----------	----

- NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.
------------------------------------

- Chemical safety assessment void.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific article features and shall not establish a legally valid contractual relationship

- Department issuing SDS: Department testing laboratories

(Contd. on page 7)

**Trade name: Wieland A07**

(Contd. of page 6)

- Contact:  
Dr. Michael Ebner  
Phone (+)49 (0)731/944-3706
- Date of preparation / last revision 09/11/2017 / 2
- \* Data compared to the previous version altered.

—US—