

Product Certification Sheet

Wieland Copper Products, LLC Manufactures tube to meet the applicable chemical, mechanical, cleanliness, and eddy current testing requirements of the current American Society of Testing and Materials (ASTM) specification for the following:

SEAMLESS COPPER WATER TUBE – TYPE K, L, M
Size Range 1/4" to 4"

ASTM B-88

Copper tube (Alloy 12200) has been evaluated by Underwriters Laboratories, Inc. To ANSI/NSF 61 Annex G and ANSI/NSF 372 for use in drinking water supplies of pH 6.5 and above. Drinking water supplies which are less than pH 6.5 may require corrosion control to limit leaching of copper into the drinking water.

Copper tube has been NSF classified by Underwriters Laboratories, Inc. only to ensure that specific analyzed samples met regulatory requirements.

SEAMLESS COPPER TUBE FOR MEDICAL GAS SYSTEMS

ASTM B-819

*(Manufactured tubes **up to and including 2 1/8"** are plugged and charged with nitrogen following the cleaning operation)*

SEAMLESS COPPER TUBE FOR AIR CONDITIONING AND REFRIGERATION FIELD SERVICE

ASTM B-280

*(Manufactured straight length hard tubes **up to and including 2 1/8"** are plugged and charged with nitrogen following the cleaning operation)*

*All tubes **up to and including 8 1/8"** are manufactured to the cleanliness requirements of 0.0035 g/ft² maximum residue as required by B-280/B-819.*

Copper Drainage Tube (DWV)

ASTM B-306

All material incised "WCP" is manufactured in the United States.

Terrence McHugh
Quality Supervisor / ISO Coordinator

Technical Services Phone (336) 445 – 4529

Issued: June 23, 2016