

## 1 Identification

- **1.1 Product identifier**
  - Trade name: **Wieland G07**
  - **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
  - Application of the substance / the preparation: Semi-finished product
- 
- **1.3 Details of the supplier of the safety data sheet**
  - Manufacturer/Supplier:  
Wieland-Werke AG  
Graf-Arco-Straße 36  
89079 Ulm (Germany)  
Tel.: +49 (0)731/944-0  
Fax: +49 (0)731/944-2799
  - Information department:  
Department testing laboratories  
michael.ebner@wieland.de
  - **1.4 Emergency telephone number:**  
Factory security offices  
Phone: +49 (0) 731-944-3706

## 2 Hazard(s) identification

- **2.1 Classification of the substance or mixture**
  - Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation):  
For products there is no obligation to classify acc. to CLP -Regulation.  
The product is not classified according to the CLP regulation.
- 
- **2.2 Label elements**
  - Labelling according to Regulation (EC) No 1272/2008: Void
  - Hazard pictograms: Void
  - Signal word: Void
  - Hazard-determining components of labeling: Void
  - Hazard statements: Void
  - **2.3 Other hazards**  
Semi-finished products from copper or copper-alloys, as offered for sale as manufactured present no health hazard to man or for the aquatic environment.
  - Results of PBT and vPvB assessment
  - PBT: Not applicable to metals
  - vPvB: Not applicable to metals.

## 3 Composition/information on ingredients

- **3.2 Chemical characterization: Mixtures**
- Description: Metal in compact form.
- UNS-number: -
- Information:  
The classifications mentioned below reflect the respective pure substance and are for information only.  
Copper alloys are special preparations according to Regulation (EC) 1907/2006 (REACH Regulation).  
The classification of a pure substance is not applicable to its use as element of a copper alloy.

(Contd. on page 2)

Trade name: **Wieland G07**

(Contd. of page 1)

· Components:		
CAS: 7440-50-8 EINECS: 231-159-6 RTECS: GL 5325000	copper	81.0-85.0%
CAS: 7440-31-5 EINECS: 231-141-8 RTECS: XP 7320000	tin	6.0-8.0%
CAS: 7439-92-1 EINECS: 231-100-4 RTECS: OF 7525000	lead	5.0-8.0%
CAS: 7440-02-0 EINECS: 231-111-4	nickel ☠ Carc. 2, H351; STOT RE 1, H372; ⚠ Skin Sens. 1, H317	0-2.0%
CAS: 7440-66-6 EINECS: 231-175-3 RTECS: ZG 8600000	zinc	2.0-5.0%

#### 4 First-aid measures

##### · 4.1 Description of first aid measures

###### · General information:

No special measures required.

First Aid information refer to any dust which is generated.

###### · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

###### · After skin contact: Immediately wash with water and soap and rinse thoroughly.

###### · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

###### · After swallowing: Rinse out mouth and then drink plenty of water.

##### · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

##### · 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

#### 5 Fire-fighting measures

##### · 5.1 Extinguishing media

###### · Suitable extinguishing agents:

Non-flammable. Use fire fighting measures that suit the environment.

##### · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

##### · 5.3 Advice for firefighters

· Protective equipment: No special measures required.

#### 6 Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures:** Not required.

· **6.2 Environmental precautions:** Not required

· **6.3 Methods and material for containment and cleaning up:**

Dispose contaminated material as waste according to item 13.

· **6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Trade name: **Wieland G07**

See Section 13 for disposal information.

(Contd. of page 2)

## 7 Handling and storage

- **7.1 Precautions for safe handling:**
  - No special measures required.
  - Open and handle receptacle with care.
- Information about protection against explosions and fires: No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
  - Storage:
  - Requirements to be met by storerooms and receptacles: No special requirements.
  - Further information about storage conditions: None.
- **7.3 Specific end use(s):** No further relevant information available.

## 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- **8.1 Control parameters**

- Components with limit values that require monitoring at the workplace:

### 7440-50-8 copper

PEL	Long-term value: 1* 0.1** mg/m <sup>3</sup> as Cu *dusts and mists **fume
REL	Long-term value: 1* 0.1** mg/m <sup>3</sup> as Cu *dusts and mists **fume
TLV	Long-term value: 1* 0.2** mg/m <sup>3</sup> *dusts and mists; **fume; as Cu

### 7440-31-5 tin

PEL	Long-term value: 2 mg/m <sup>3</sup> metal
REL	Long-term value: 2 mg/m <sup>3</sup>
TLV	Long-term value: 2 mg/m <sup>3</sup> metal

### 7439-92-1 lead

PEL	Long-term value: 0.05* mg/m <sup>3</sup> *see 29 CFR 1910.1025
REL	Long-term value: 0.05* mg/m <sup>3</sup> *8-hr TWA ;See PocketGuide App.C
TLV	Long-term value: 0.05* mg/m <sup>3</sup> *and inorganic compounds, as Pb; BEI

### 7440-02-0 nickel

PEL	Long-term value: 1 mg/m <sup>3</sup>
REL	Long-term value: 0.015 mg/m <sup>3</sup> as Ni; See Pocket Guide App. A
TLV	Long-term value: 1.5* mg/m <sup>3</sup> elemental, *inhalable fraction

(Contd. on page 4)

Trade name: **Wieland G07**

(Contd. of page 3)

· Ingredients with biological limit values:

**7439-92-1 lead**

BEI	30 µg/100 ml Medium: blood Time: not critical Parameter: Lead
-----	--

	10 µg/100 ml Medium: blood Time: not critical Parameter: Lead (women of child bearing potential)
--	---

· Additional Occupational Exposure Limit Values for possible hazards during processing:

**1314-13-2 zinc oxide**

PEL	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction and fume
-----	--

REL	Short-term value: 10** mg/m <sup>3</sup> Long-term value: 5 mg/m <sup>3</sup> Ceiling limit value: 15* mg/m <sup>3</sup> *dust only **fume
-----	---

TLV	Short-term value: 10* mg/m <sup>3</sup> Long-term value: 2* mg/m <sup>3</sup> *as respirable fraction
-----	---

· Additional information: The lists that were valid during the creation were used as basis.

**8.2 Exposure controls**

- Personal protective equipment:
- General protective and hygienic measures:
  - Keep away from foodstuffs, beverages and feed.
  - Immediately remove all soiled and contaminated clothing.
  - Wash hands before breaks and at the end of work.
  - Store protective clothing separately.
  - Do not inhale dust / smoke / mist.
- Breathing equipment: Use a suitable industrial gas mask when work-place-limits are exceeded.
- Protection of hands:
  - Protective gloves are recommended, depending upon how the semis are further processed.
- Eye protection:
  - Protective goggles are recommended, depending upon how the semis are further processed.
- Body protection:
  - Wear suitable protective clothing, depending upon how the semis are further processed.

**9 Physical and chemical properties****9.1 Information on basic physical and chemical properties**

· General Information

· Appearance:

Form:	Solid
Color:	copper red
Odor:	Odorless
Odor threshold:	Not determined.

· Change in condition

Melting point/Melting range:	860-1020 °C (1580-1868 °F) (Lit.)
Boiling point/Boiling range:	Undetermined.

Flash point:	Not applicable.
--------------	-----------------

(Contd. on page 5)

Trade name: **Wieland G07**

(Contd. of page 4)

- |   |   |
|---|---|
| · Danger of explosion:                    | Product does not present an explosion hazard. |
| · Density at 20 °C (68 °F):               | 9 g/cm <sup>3</sup> (75.105 lbs/gal) (Lit.)   |
| · Solubility in / Miscibility with Water: | Not soluble.                                  |
| · <b>9.2 Other information</b>            | No further relevant information available.    |

## 10 Stability and reactivity

- **10.1 Reactivity:** Not applicable.
- **10.2 Chemical stability:** Not applicable.
- Thermal decomposition / conditions to be avoided:  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions:** No dangerous reactions known.
- **10.4 Conditions to avoid:** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **11.1 Information on toxicological effects**
- Acute toxicity: Based on available data, the classification criteria are not met.
- Primary irritant effect:
  - on the skin: Based on available data, the classification criteria are not met.
  - on the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.
- Additional toxicological information:  
When used and handled according to specifications, the article does not have any harmful effects to our experience and the information provided to us.
- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

7439-92-1	lead	2B
7440-02-0	nickel	2B

- NTP (National Toxicology Program)

7439-92-1	lead	R
7440-02-0	nickel	R

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- **12.1 Toxicity**
- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- Ecotoxicological effects:
- Remark: Toxic for fish

(Contd. on page 6)

**Trade name: Wieland G07**

(Contd. of page 5)

- Additional ecological information
- General notes:  
For semi-finished products in copper or copper-alloys no information regarding ecology is suitable, as it is not soluble in water.  
Toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- PBT: Not applicable to metals.
- vPvB: Not applicable to metals.
- **12.6 Other adverse effects:** No further relevant information available.

### 13 Disposal considerations

- **13.1 Waste treatment methods**
- Recommendation: Contact manufacturer for recycling information.

### 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>14.1 UN-Number</b>  |                 |
| · DOT, ADR, ADN, IMDG, IATA  | Void            |
| · <b>14.2 UN proper shipping name</b>  |                 |
| · DOT, ADR, ADN, IMDG, IATA  | Void            |
| · <b>14.3 Transport hazard class(es)</b>   |                 |
| · DOT, ADR, ADN, IMDG, IATA  |                 |
| · Class  | Void            |
| · <b>14.4 Packing group</b>  |                 |
| · DOT, ADR, IMDG, IATA   | Void            |
| · <b>14.5 Environmental hazards:</b>   |                 |
| · Marine pollutant:  | No              |
| · <b>14.6 Special precautions for user:</b>  | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b> | Not applicable. |

### 15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Sara

· Section 355 (extremely hazardous substances):
---

None of the ingredients is listed.
------------------------------------

· Section 313 (Specific toxic chemical listings):
---

7440-50-8	copper
-----------	--------

7439-92-1	lead
-----------	------

7440-66-6	zinc
-----------	------

7440-02-0	nickel
-----------	--------

· TSCA (Toxic Substances Control Act):
--

All ingredients are listed.
-----------------------------

(Contd. on page 7)

**Trade name: Wieland G07**

(Contd. of page 6)

- Proposition 65

- Chemicals known to cause cancer:

7439-92-1	lead
-----------	------

7440-02-0	nickel
-----------	--------

- Chemicals known to cause reproductive toxicity for females:

7439-92-1	lead
-----------	------

- Chemicals known to cause reproductive toxicity for males:

7439-92-1	lead
-----------	------

- Chemicals known to cause developmental toxicity:

7439-92-1	lead
-----------	------

- Carcinogenicity categories

- EPA (Environmental Protection Agency)

7440-50-8	copper	D
-----------	--------	---

7439-92-1	lead	B2
-----------	------	----

7440-66-6	zinc	D, I, II
-----------	------	----------

- TLV (Threshold Limit Value established by ACGIH)

7439-92-1	lead	A3
-----------	------	----

7440-02-0	nickel	A5
-----------	--------	----

- NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-02-0	nickel
-----------	--------

- Chemical safety assessment void.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific article features and shall not establish a legally valid contractual relationship

- Department issuing SDS: Department testing laboratories

- Contact:

Dr. Michael Ebner

Phone (+)49 (0)731/944-3706

- Date of preparation / last revision 08/23/2017 / 7

- \* Data compared to the previous version altered.