

1 Identification

- **1.1 Product identifier**
 - Trade name: **Wieland Z32**
 - **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
 - Application of the substance / the preparation: Semi-finished product
-
- **1.3 Details of the supplier of the safety data sheet**
 - Manufacturer/Supplier:
Wieland-Werke AG
Graf-Arco-Straße 36
89079 Ulm (Germany)
Tel.: +49 (0)731/944-0
Fax: +49 (0)731/944-2799
 - Information department:
Department Corporate EHS and Standardization Affairs
stefan.priggemeyer@wieland.com
 - **1.4 Emergency telephone number:**
Factory security offices
Phone: +49 (0) 731-944-2794

2 Hazard(s) identification

- **2.1 Classification of the substance or mixture**
 - Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation):
The product is not classified according to the CLP regulation.
-
- **2.2 Label elements**
 - Labelling according to Regulation (EC) No 1272/2008: Void
 - Hazard pictograms: Void
 - Signal word: Void
 - Hazard-determining components of labeling: Void
 - Hazard statements: Void
 - **2.3 Other hazards**
Semi-finished products from copper or copper-alloys, as offered for sale as manufactured present no health hazard to man or for the aquatic environment.
 - Results of PBT and vPvB assessment
 - PBT: Not applicable to metals
 - vPvB: Not applicable to metals.

3 Composition/information on ingredients

- **3.2 Chemical characterization: Mixtures**
- Description: Metal in compact form.
- UNS-number: C38500
- Information:
The classifications mentioned below reflect the respective pure substance and are for information only.
Copper alloys are special preparations according to Regulation (EC) 1907/2006 (REACH Regulation).
The classification of a pure substance is not applicable to its use as element of a copper alloy.

(Contd. on page 2)

US

Trade name: **Wieland Z32**

(Contd. of page 1)

· Components:

CAS: 7440-50-8 EINECS: 231-159-6 RTECS: GL 5325000	copper	57.0-59.0%
CAS: 7440-66-6 EINECS: 231-175-3 RTECS: ZG 8600000	zinc	balance%
CAS: 7439-92-1 EINECS: 231-100-4 RTECS: OF 7525000	lead ⚠ Acute Tox. 3, H301; ⚠ Carc. 2, H351; Repr. 1A, H360-H362; ⚠ Acute Tox. 4, H332	2.5-3.5%

* **4 First-aid measures**· **4.1 Description of first aid measures**

· General information:

No special measures required.

First Aid information refer to any dust which is generated.

The mixture in solid form does not pose any significant health hazard. However, melting or activities which produce metal dust, smoke or fumes can cause that metal dust enter the body in harmful amounts.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Rinse out mouth and then drink plenty of water.

· **4.2 Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

* **5 Fire-fighting measures**· **5.1 Extinguishing media**

· Suitable extinguishing agents:

Non-flammable. Use fire fighting measures that suit the environment.

· **5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

· **5.3 Advice for firefighters**

· Protective equipment: No special measures required.

* **6 Accidental release measures**· **6.1 Personal precautions, protective equipment and emergency procedures:**

Not required.

· **6.2 Environmental precautions:** Not required· **6.3 Methods and material for containment and cleaning up:**

Collect the material and if necessary dispose it as waste according to section 13.

(Contd. on page 3)

Trade name: **Wieland Z32**

(Contd. of page 2)

- **6.4 Reference to other sections:**
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

* **7 Handling and storage**

- **7.1 Precautions for safe handling:** No special measures required.
- Information about protection against explosions and fires: No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Further information about storage conditions: Store in dry conditions.
- **7.3 Specific end use(s):** No further relevant information available.

* **8 Exposure controls/personal protection**

- Additional information about design of technical systems: No further data; see item 7.
- **8.1 Control parameters**
- Components with limit values that require monitoring at the workplace:
 The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
 At this time, the other constituents have no known exposure limits.

7440-50-8 copper	
PEL	Long-term value: 1* 0.1** mg/m ³ as Cu *dusts and mists **fume
REL	Long-term value: 1* 0.1** mg/m ³ as Cu *dusts and mists **fume
TLV	Long-term value: 1* 0.2** mg/m ³ *dusts and mists; **fume; as Cu
7439-92-1 lead	
PEL	Long-term value: 0.05* mg/m ³ *see 29 CFR 1910.1025
REL	Long-term value: 0.05* mg/m ³ *8-hr TWA ;See PocketGuide App.C
TLV	Long-term value: 0.05* mg/m ³ *and inorganic compounds, as Pb; BEI

• Ingredients with biological limit values:

7439-92-1 lead	
BEI	30 µg/100 ml Medium: blood Time: not critical Parameter: Lead
	10 µg/100 ml Medium: blood Time: not critical Parameter: Lead (women of child bearing potential)

(Contd. on page 4)

Trade name: **Wieland Z32**

(Contd. of page 3)

- Additional information: The lists that were valid during the creation were used as basis.
- **8.2 Exposure controls**
- Personal protective equipment:
- General protective and hygienic measures:
 - Keep away from foodstuffs, beverages and feed.
 - Wash hands before breaks and at the end of work.
 - Store protective clothing separately.
 - Do not inhale dust / smoke / mist.
- Breathing equipment:
 - Use a suitable industrial gas mask when work-place-limits are exceeded.
- Protection of hands:
 - Protective gloves are recommended, depending upon how the semis are further processed.
 - Material of gloves Neoprene or leather
- Eye protection:
 - Protective goggles are recommended, depending upon how the semis are further processed.
 - Tightly sealed goggles (DIN EN 166)
- Body protection:
 - Wear suitable protective clothing, depending upon how the semis are further processed.

9 Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

- General Information
- Appearance:

Form:	Solid
Color:	copper yellow
Odor:	Odorless
Odor threshold:	Not determined.
- Change in condition

Melting point/Melting range:	880-895 °C (1616-1643 °F) (Lit.)
Boiling point/Boiling range:	Undetermined.
- Flash point: Not applicable.
- Danger of explosion: Product does not present an explosion hazard.
- Density at 20 °C (68 °F): 8.46 g/cm³ (70.5987 lbs/gal) (Lit.)
- Solubility in / Miscibility with

Water:	Not soluble.
VOC content:	0.00 %
- **9.2 Other information** No further relevant information available.

10 Stability and reactivity

- **10.1 Reactivity:** Not applicable.
- **10.2 Chemical stability:** Not applicable.
- Thermal decomposition / conditions to be avoided:
 - No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions:** No dangerous reactions known.
- **10.4 Conditions to avoid:** No further relevant information available.

(Contd. on page 5)

US

Trade name: **Wieland Z32**

(Contd. of page 4)

- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products known.

11 Toxicological information

- **11.1 Information on toxicological effects**
- Acute toxicity: Based on available data, the classification criteria are not met.
- Primary irritant effect:
 - on the skin: Based on available data, the classification criteria are not met.
 - on the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.
- Additional toxicological information:
When used and handled according to specifications, the article does not have any harmful effects to our experience and the information provided to us.

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

7439-92-1 | lead

2B

- NTP (National Toxicology Program)

7439-92-1 | lead

R

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- **12.1 Toxicity**
- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- Additional ecological information
- General notes:
For semi-finished products in copper or copper-alloys no information regarding ecology is suitable, as it is not soluble in water.
- **12.5 Results of PBT and vPvB assessment**
- PBT: Not applicable to metals.
- vPvB: Not applicable to metals.
- **12.6 Other adverse effects:** No further relevant information available.

13 Disposal considerations

- **13.1 Waste treatment methods**
- Recommendation: Contact manufacturer for recycling information.

US

(Contd. on page 6)

Trade name: **Wieland Z32**

(Contd. of page 5)

14 Transport information

<ul style="list-style-type: none"> · 14.1 UN-Number 	DOT, ADR, ADN, IMDG, IATA	Void
<ul style="list-style-type: none"> · 14.2 UN proper shipping name 	DOT, ADR, ADN, IMDG, IATA	Void
<ul style="list-style-type: none"> · 14.3 Transport hazard class(es) 	DOT, ADR, ADN, IMDG, IATA · Class	Void
<ul style="list-style-type: none"> · 14.4 Packing group 	DOT, ADR, IMDG, IATA	Void
<ul style="list-style-type: none"> · 14.5 Environmental hazards: 	· Marine pollutant:	No
<ul style="list-style-type: none"> · 14.6 Special precautions for user: 		Not applicable.
<ul style="list-style-type: none"> · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: 		Not applicable.

15 Regulatory information

<ul style="list-style-type: none"> · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 			
<ul style="list-style-type: none"> · Sara 			
<ul style="list-style-type: none"> · Section 355 (extremely hazardous substances): 	None of the ingredients is listed.		
<ul style="list-style-type: none"> · Section 313 (Specific toxic chemical listings): 	All ingredients are listed.		
<ul style="list-style-type: none"> · TSCA (Toxic Substances Control Act): 	All ingredients are listed.		
<ul style="list-style-type: none"> · Proposition 65 			
<ul style="list-style-type: none"> · Chemicals known to cause cancer: 	7439-92-1	lead	
<ul style="list-style-type: none"> · Chemicals known to cause reproductive toxicity for females: 	7439-92-1	lead	
<ul style="list-style-type: none"> · Chemicals known to cause reproductive toxicity for males: 	7439-92-1	lead	
<ul style="list-style-type: none"> · Chemicals known to cause developmental toxicity: 	7439-92-1	lead	
<ul style="list-style-type: none"> · Cancerogenity categories 			
<ul style="list-style-type: none"> · EPA (Environmental Protection Agency) 	7440-50-8	copper	D
	7440-66-6	zinc	D, I, II
	7439-92-1	lead	B2

(Contd. on page 7)

Trade name: Wieland Z32

(Contd. of page 6)

· TLV (Threshold Limit Value established by ACGIH)

7439-92-1 | lead

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment void.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific article features and shall not establish a legally valid contractual relationship

- Department issuing SDS: Department Corporate EHS and Standardization Affairs
- Contact:
Dr. Stefan Priggemeyer
Phone (+)49 (0)731/944-2794
- Date of preparation / last revision 04/11/2018 / 8
- * Data compared to the previous version altered.

US