

Page 1/7

Information sheet

for articles

Printing date 05.06.2024

Version - No. 8

Revision: 05.06.2024

SECTION 1: Identification of the article and of the company:

- 1.1 Product identifier
- Trade name: Wieland-Z48
- · UFI: -
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the article: Semi-finished product
- **1.3 Details of the supplier of the data sheet** • **Manufacturer/Supplier:** Wieland-Werke AG Graf-Arco-Straße 36 89079 Ulm (Germany) Tel.: +49 731 944 0 Fax: + 49 731 944 2799
- Further information obtainable from: ESG Affairs stefan.priggemeyer@wieland.com
- [.] 1.4 Telephone number:

Factory security offices Phone: +49 731 944 2794 (Monday - Friday from 9 a.m. to 4 p.m.)

Remarks for information sheet:

Semi-finished products from copper and copper-alloys are articles according to Regulation (EC) No. 1907/2006 (REACH Regulation).

For articles there is no legal obligation to issue a safety data sheet. However, to be able to provide information typically included in a safety data sheet also for articles, the present information sheet for articles has been worked out. We expressly point out, that the information sheet for articles is a voluntarily issued information sheet which is not subject to the formal requirements of the REACH Regulation.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Semi-finished poducts do not fall within the scope of the CLP-Regulation and therefore they are not classified!

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008: Void
- · Hazard pictograms: Void
- Signal word: Void
- · Hazard statements: Void
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable to metals
- **vPvB:** Not applicable to metals.

wieland

Page 2/7

Information sheet

for articles

Printing date 05.06.2024

Version - No. 8

Revision: 05.06.2024

(Contd. of page 1)

Trade name: Wieland-Z48

for information.	ed below reflect the classification of the relevant alloying constitu s are references values.	ients and are o
Alloy components:		
	pper	57.0-59.0
CAS: 7440-50-8 cc EINECS: 231-159-6		
		balance
EINECS: 231-159-6 CAS: 7440-66-6 zir EINECS: 231-175-3 CAS: 7439-92-1 lea	nc	balance 1.6-2.59

SECTION 4: First aid measures

4.1 Description of first aid measures

· General information:

First Aid information refer to any dust which is generated.

The mixture in solid form does not pose any significant health hazard. However, melting or activites which produce metal dust, smoke or fumes can cause that metal dust enter the body in harmful amounts.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed:** No further relevant information available.

(Contd. on page 3)

w -



Page 3/7

Information sheet

for articles

Printing date 05.06.2024

Version - No. 8

Revision: 05.06.2024

(Contd. of page 2)

Trade name: Wieland-Z48

• **4.3 Indication of any immediate medical attention and special treatment needed:** No further relevant information available.

SECTION 5: Firefighting measures

- [·] 5.1 Extinguishing media
- · Suitable extinguishing agents: Non-flammable. Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture:** No further relevant information available.
- 5.3 Advice for firefighters:
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures: Not required.
- · 6.2 Environmental precautions: Not required.
- **6.3 Methods and material for containment and cleaning up:** Collect the material and if necessary dispose it as waste according to section 13.
- 6.4 Reference to other sections: See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling: No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Further information about storage conditions: Store in dry conditions.

• 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 4)

w.



Page 4/7

Information sheet

for articles

Printing date 05.06.2024

Version - No. 8

Revision: 05.06.2024

Trade name: Wieland-Z48

pig-term value: 0.004E mg/m ³ pl.Abschn.XII pig-term value: 0.15 mg/m ³ s Pb pig-term value: 0.006A; 0.030E* mg/m ³ II);AGS, 24, Sh, Y, 10*, 31* iological limit values: 0 μg/l st material: Blood rameter: Lead titonal Exposure Limit Values for possible hazards during processing: (A - alveolar fraction, E - respirable fraction) a) 3 (E)10 mg/m ³ titon: g the making were used as basis. hs, please refer to TRGS 900.
yl.Abschn.XII pong-term value: 0.15 mg/m ³ s Pb pong-term value: 0.006A; 0.030E* mg/m ³ II);AGS, 24, Sh, Y, 10*, 31* iological limit values:) μg/l st material: Blood rameter: Lead itional Exposure Limit Values for possible hazards during processing: (A - alveolar fraction, E - respirable fraction) A) 3 (E)10 mg/m ³ ition: g the making were used as basis.
s Pb png-term value: 0.006A; 0.030E* mg/m³ II);AGS, 24, Sh, Y, 10*, 31* iological limit values:) μg/l st material: Blood rameter: Lead itional Exposure Limit Values for possible hazards during processing: (A - alveolar fraction, E - respirable fraction) A) 3 (E)10 mg/m³ ition: g the making were used as basis.
II);AGS, 24, Sh, Y, 10*, 31* iological limit values:) µg/l st material: Blood ameter: Lead itional Exposure Limit Values for possible hazards during processing: (A - alveolar fraction, E - respirable fraction) A) 3 (E)10 mg/m ³ ition: g the making were used as basis.
II);AGS, 24, Sh, Y, 10*, 31* iological limit values:) µg/l st material: Blood ameter: Lead itional Exposure Limit Values for possible hazards during processing: (A - alveolar fraction, E - respirable fraction) A) 3 (E)10 mg/m ³ ition: g the making were used as basis.
) μg/l st material: Blood cameter: Lead Itional Exposure Limit Values for possible hazards during processing: (A - alveolar fraction, E - respirable fraction) A) 3 (E)10 mg/m ³ Ition: g the making were used as basis.
st material: Blood ameter: Lead Itional Exposure Limit Values for possible hazards during processing: (A - alveolar fraction, E - respirable fraction) a) 3 (E)10 mg/m ³ Ition: g the making were used as basis.
st material: Blood ameter: Lead Itional Exposure Limit Values for possible hazards during processing: (A - alveolar fraction, E - respirable fraction) a) 3 (E)10 mg/m ³ Ition: g the making were used as basis.
(A - alveolar fraction, E - respirable fraction)) 3 (E)10 mg/m ³ ition: g the making were used as basis.
) 3 (E)10 mg/m³ ition: g the making were used as basis.
g the making were used as basis.
rols e equipment: e and hygienic measures: odstuffs, beverages and feed. breaks and at the end of work. thing separately. smoke / mist. ction: Use a suitable industrial gas mask when work-place-limits are exceeded.
Is: re recommended, depending upon how the semis are further processed (material reather).
tive clothing, depending upon how the semis are further processed (ugnuy ctive clothing, depending upon how the semis are further processed.

- \cdot 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:
 - Colour:

Brass yellow

(Contd. on page 5)



Page 5/7

Information sheet

for articles

Printing date 05.06.2024

Version - No. 8

Revision: 05.06.2024

Trade name: Wieland-Z48

		(Contd. of page 4)
· Odour:	Odourless	
· Odour threshold:	Not determined.	
· Change in condition		
Melting point/freezing point:	880-895 °C (Lit.)	
Initial boiling point and boiling range	: Undetermined.	
· Flash point:	Not applicable.	
Density at 20 °C:	8.41 g/cm ³ (Lit.)	
Solubility in / Miscibility with at 20 °C	Not soluble.	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity: Not applicable.
- · 10.2 Chemical stability: Not applicable.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- · 10.4 Conditions to avoid: No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· General information:

The solid product does not pose a health hazard if handled properly.

Effect on the skin: No effects. Effect on eyes: No effects. Sensitization: No effects.

Endocrine disrupting properties: None of the ingredients are contained.

SECTION 12: Ecological information

- · 12.1 Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability: No further relevant information available.
- · 12.3 Bioaccumulative potential: No further relevant information available.
- · 12.4 Mobility in soil: No further relevant information available.

(Contd. on page 6)

w/



Page 6/7

Information sheet

for articles

Printing date 05.06.2024

Version - No. 8

Revision: 05.06.2024

Trade name: Wieland-Z48

(Contd. of page 5) • General notes: Semi-finished articles from copper and copper-alloys are not soluble in water.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable to metals.

vPvB: Not applicable to metals.

12.6 Endocrine disrupting properties:

The product does not contain any substances with endocrine disrupting properties.

• 12.7 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• **Recommendation:** Contact manufacturer for recycling information.

· European waste catalogue

12 01 03: non-ferrous metal filings and turnings

16 01 18: non-ferrous metal

for non-contaminated waste

SECTION 14: Transport information	on	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user:	Not applicable.	
 14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code: 	ex II of Not applicable.	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Chemical safety assessment: Void.

(Contd. on page 7)

ŵ



Page 7/7

Information sheet

for articles

Printing date 05.06.2024

Version - No. 8

Revision: 05.06.2024

(Contd. of page 6)

Trade name: Wieland-Z48

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · Waterhazard class: Generally not hazardous for water.
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

7439-92-1 lead

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific article features and shall not establish a legally valid contractual relationship.

- · Department issuing information sheet: ESG Affairs
- · Contact:

Dr. Stefan Priggemeyer

Phone +49 731 944 2794

Email: stefan.priggemeyer@wieland.com

* Data compared to the previous version altered.